

Goat Anti-Donkey IgG F(c) secondary antibody

Catalog # PAB9195

Size 2 mL

Specification

Product Description	Goat anti-donkey IgG recognizes donkey IgG F(c) fragment. This secondary antibody was purified using delipidation and defibrination.
Immunogen	Donkey IgG F(c) fragment
Host	Goat
Reactivity	Donkey
Specificity	No reaction was observed against donkey IgG F(ab') ₂ .
Form	Lyophilized
Conjugation	Unconjugated
Purification	This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against donkey IgG F(c) and donkey serum.
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 20 mM KH ₂ PO ₄ , 150 mM NaCl, pH 7.2 (0.01% sodium azide)
Storage Instruction	Store at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry

- Enzyme-linked Immunoabsorbent Assay