## Goat Anti-Mouse IgG F(c) secondary antibody

Catalog # PAB9356 Size 2 mL

Product Description Goat anti-mouse IgG recognizes mouse IgG F(c) fragment. This secondary antibody was purified usi ng delipidation and defibrination.   Immunogen Mouse IgG F(c) fragment   Host Goat   Reactivity Mouse   Specificity No reaction was observed against mouse IgG F(ab')2.   Form Lyophilized   Conjugation Unconjugated   Purification This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru m.   Recommend Usage The optimal working dilution should be determined by the end user.   Storage Buffer Lyophilized from 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)   Storage Instruction Storage at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.   Note This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.	Specification	
Host Goat   Reactivity Mouse   Specificity No reaction was observed against mouse IgG F(ab')2.   Form Lyophilized   Conjugation Unconjugated   Purification This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru m.   Recommend Usage The optimal working dilution should be determined by the end user.   Storage Buffer Lyophilized from 20 mM KH <sub>2</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7.2 (0.01% sodium azide)   Storage Instruction Store at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.   Note This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Product Description	
Reactivity Mouse   Specificity No reaction was observed against mouse IgG F(ab')2.   Form Lyophilized   Conjugation Unconjugated   Purification This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru m.   Recommend Usage The optimal working dilution should be determined by the end user.   Storage Buffer Lyophilized from 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)   Storage Instruction Store at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.   Note This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Immunogen	Mouse IgG F(c) fragment
SpecificityNo reaction was observed against mouse IgG F(ab')2.FormLyophilizedConjugationUnconjugatedPurificationThis product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru m.Recommend UsageThe optimal working dilution should be determined by the end user.Storage BufferLyophilized from 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)Storage InstructionStore at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.NoteThis product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should	Host	Goat
FormLyophilizedConjugationUnconjugatedPurificationThis product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse lgG F(c) and mouse seru m.Recommend UsageThe optimal working dilution should be determined by the end user.Storage BufferLyophilized from 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)Storage InstructionStore at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.NoteThis product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Reactivity	Mouse
ConjugationUnconjugatedPurificationThis product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru m.Recommend UsageThe optimal working dilution should be determined by the end user.Storage BufferLyophilized from 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)Storage InstructionStore at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.NoteThis product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Specificity	No reaction was observed against mouse IgG F(ab')2.
Purification This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay b y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru m.   Recommend Usage The optimal working dilution should be determined by the end user.   Storage Buffer Lyophilized from 20 mM KH <sub>2</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7.2 (0.01% sodium azide)   Storage Instruction Store at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.   Note This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Form	Lyophilized
Note	Conjugation	Unconjugated
Storage BufferLyophilized from 20 mM KH2PO4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)Storage InstructionStore at 4°C on dry atmosphere. After reconstitution with 2 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.NoteThis product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Purification	y immunoelectrophoresis resulted in a single precipitin arc against mouse IgG F(c) and mouse seru
Storage Instruction Store at 4°C on dry atmosphere.   After reconstitution with 2 mL of deionized water, store at -20°C or lower.   Aliquot to avoid repeated freezing and thawing.   Note   This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Recommend Usage	The optimal working dilution should be determined by the end user.
After reconstitution with 2 mL of deionized water, store at -20°C or lower.   Aliquot to avoid repeated freezing and thawing.   Note This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul	Storage Buffer	Lyophilized from 20 mM KH <sub>2</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7.2 (0.01% sodium azide)
	Storage Instruction	After reconstitution with 2 mL of deionized water, store at -20°C or lower.
	Note	-

## Applications

- Western Blot
- Immunohistochemistry



• Enzyme-linked Immunoabsorbent Assay