

Goat Anti-Rabbit IgG (H&L) secondary antibody

Catalog # PAB9397 Size 50 mg

Specification	
Product Description	Goat anti-rabbit IgG recognizes rabbit IgG whole molecule. This secondary antibody was purified using a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated below.
lmmunogen	Rabbit lgG whole molecule.
Host	Goat
Reactivity	Rabbit
Specificity	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-goat serum, rabbit log G and rabbit serum.
Form	Lyophilized
Conjugation	Unconjugated
Purification	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step proces which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated below.
Conjugation Note	
Recommend Usage	ELISA (1:50,000) Immunohistochemistry (1:1,000-1:5,000) Western Blot (1:5,000-1:25,000) The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 0.02 mM potassium phosphate, 0.15 M NaCl, pH 7.2 (0.01% (w/v) sodium azide).
Storage Instruction	Store at 4°C on dry atmosphere prior to restoration. After reconstitution with 5 mL of deionized water, store at -20°C or lower. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4°C as an undiluted liquid. Dilute only prior to immediate use. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.



Applications

- Western Blot
- Immunohistochemistry
- Enzyme-linked Immunoabsorbent Assay