

RecomAb™

# CDH16 recombinant monoclonal antibody, clone rCDH16/1071

Catalog # RAB00533

Size 100 ug

## Applications

### Western Blot (Tissue lysate)

Western Blot analysis of human kidney tissue lysate with CDH16 recombinant monoclonal antibody, clone rCDH16/1071 (Cat # RAB00381).

□

### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human renal cell carcinoma with CDH16 recombinant monoclonal antibody, clone rCDH16/1071 (Cat # RAB00381).

□

## Specification

Product Description	Mouse recombinant monoclonal antibody raised against human CDH16.
Antibody Species	Mouse
Immunogen	Original antibody is raised against recombinant protein corresponding to full length human CDH16.
Theoretical MW (kDa)	130
Reactivity	Human
Form	Liquid

Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1-2 ug/mL) Western Blot (1-2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide)
Storage Instruction	Store at 2 to 8°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot (Tissue lysate)

Western Blot analysis of human kidney tissue lysate with CDH16 recombinant monoclonal antibody, clone rCDH16/1071 (Cat # RAB00381).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human renal cell carcinoma with CDH16 recombinant monoclonal antibody, clone rCDH16/1071 (Cat # RAB00381).

## Gene Info — CDH16

Entrez GeneID	<a href="#">1014</a>
Protein Accession#	<a href="#">O75309</a>
Gene Name	CDH16
Gene Alias	-
Gene Description	cadherin 16, KSP-cadherin
Omim ID	<a href="#">603118</a>
Gene Ontology	<a href="#">Hyperlink</a>

**Gene Summary**

This gene is a member of the cadherin superfamily, genes encoding calcium-dependent, membrane-associated glycoproteins. Mapped to a previously identified cluster of cadherin genes on chromosome 16q22.1, the gene localizes with superfamily members CDH1, CDH3, CDH5, CDH8 and CDH11. The protein consists of an extracellular domain containing 6 cadherin domains, a transmembrane region and a truncated cytoplasmic domain but lacks the prosequence and tripeptide HAV adhesion recognition sequence typical of most classical cadherins. Expression is exclusively in kidney, where the protein functions as the principal mediator of homotypic cellular recognition, playing a role in the morphogenic direction of tissue development. [provided by RefSeq]

**Other Designations**

KSP-cadherin|cadherin 16|kidney-specific cadherin