




HuAb

CD22 humanized monoclonal antibody, clone hL22 (Epratuzumab)

Catalog # RAB01135 Size 200 ug

Applications



Flow Cytometry

Flow-cytometry were stained with an isotype control at a concentration of 1 ug/mL for 30 mins at RT. After washing, bound antibody was detected using a AF488 conjugated donkey anti-rabbit antibody and cells analysed on a FACSCanto flow-cytometer.

| Specification | |
|---------------------|--|
| Product Description | Humanized recombinant monoclonal antibody raised against human CD22. |
| Antibody Species | Human |
| lmmunogen | Original antibody is raised against by the humanization of LL2, a murine anti-CD22 lgG2a raised ag ainst Raji Burkitt lymphoma cells. Murine sequences comprise 5–10% of the molecule, with the remain nder being human framework sequences, which greatly reduces the potential for immunogenicity. |
| Reactivity | Human |
| Specificity | This antibody was prepared by the humanization of LL2, a murine anti-CD22 lgG2a raised against R aji Burkitt lymphoma cells. Murine sequences comprise 5–10% of the molecule, with the remainder b eing human framework sequences, which greatly reduces the potential for immunogenicity. |
| Form | Liquid |
| Purification | Protein A affinity purification |



Product Information

| Isotype | lgG1, Kappa |
|---------------------|---|
| Recommend Usage | Flow cytometry The optimal working dilution should be determined by the end user. |
| Storage Buffer | In PBS with 0.02% Proclin 300 |
| Storage Instruction | Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C. |

Applications

Flow Cytometry

Flow-cytometry were stained with an isotype control at a concentration of 1 ug/mL for 30 mins at RT. After washing, bound antibody was detected using a AF488 conjugated donkey anti-rabbit antibody and cells analysed on a FACSCanto flow-cytometer.

| Gene Info — CD22 | |
|--------------------|--|
| Entrez GeneID | 933 |
| Protein Accession# | <u>P20273</u> |
| Gene Name | CD22 |
| Gene Alias | FLJ22814, MGC130020, SIGLEC-2, SIGLEC2 |
| Gene Description | CD22 molecule |
| Omim ID | <u>107266</u> |
| Gene Ontology | <u>Hyperlink</u> |
| Other Designations | CD22 antigen |
| | |

Pathway

- B cell receptor signaling pathway
- Cell adhesion molecules (CAMs)
- Hematopoietic cell lineage



Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Lupus Erythematosus
- Scleroderma