


RecomAb™

RAF1 recombinant monoclonal antibody, clone R05-9B1


Catalog # RAB01307 Size 100 uL

Applications



Western Blot

Western blot analysis of Raf1 in C6, 3T3, HeLa lysates using Raf1 antibody.



Western Blot

Western blot analysis of SFRS3 in Jurkat, C6, HeLa lysates using SFRS3 antibody.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human RAF1.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human RAF1.
Theoretical MW (kDa)	Calculated MW: 73 kD
Reactivity	Human
Form	Liquid

Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunocytochemistry Immunofluorescence Western Blot The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at 4°C. For longer storage, aliquot and store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of Raf1 in C6, 3T3, Hela lysates using Raf1 antibody.

- Western Blot

Western blot analysis of SFRS3 in Jurkat, C6, Hela lysates using SFRS3 antibody.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

- Immunocytochemistry

- Immunofluorescence

Gene Info — RAF1

Entrez GeneID	5894
Protein Accession#	P04049
Gene Name	RAF1
Gene Alias	CRAF, NS5, Raf-1, c-Raf
Gene Description	v-raf-1 murine leukemia viral oncogene homolog 1
Omim ID	164760 611553 611554

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene is the cellular homolog of viral raf gene (v-raf). The encoded protein is a MAP kinase kinase kinase (MAP3K), which functions downstream of the Ras family of membrane associated GTPases to which it binds directly. Once activated, the cellular RAF1 protein can phosphorylate to activate the dual specificity protein kinases MEK1 and MEK2, which in turn phosphorylate to activate the serine/threonine specific protein kinases, ERK1 and ERK2. Activated ERKs are pleiotropic effectors of cell physiology and play an important role in the control of gene expression involved in the cell division cycle, apoptosis, cell differentiation and cell migration. Mutations in this gene are associated with Noonan syndrome 5 and LEOPARD syndrome 2. [provided by RefSeq]

Other Designations

Oncogene RAF1|raf proto-oncogene serine/threonine protein kinase

Pathway

- [Acute myeloid leukemia](#)
- [B cell receptor signaling pathway](#)
- [Bladder cancer](#)
- [Chemokine signaling pathway](#)
- [Chronic myeloid leukemia](#)
- [Colorectal cancer](#)
- [Endometrial cancer](#)
- [ErbB signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [Gap junction](#)
- [Glioma](#)
- [GnRH signaling pathway](#)
- [Insulin signaling pathway](#)
- [Long-term depression](#)
- [Long-term potentiation](#)

- [MAPK signaling pathway](#)
- [Melanogenesis](#)
- [Melanoma](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Neurotrophin signaling pathway](#)
- [Non-small cell lung cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Renal cell carcinoma](#)
- [T cell receptor signaling pathway](#)
- [Vascular smooth muscle contraction](#)
- [VEGF signaling pathway](#)

Disease

- [Abnormalities](#)
- [Arrhythmias](#)
- [Articulation Disorders](#)
- [Cardiovascular Diseases](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Developmental Disabilities](#)
- [Diabetes Mellitus](#)
- [Dyslexia](#)
- [Edema](#)

- [Genetic Predisposition to Disease](#)
- [Glioma](#)
- [Hearing](#)
- [Heart Defects](#)
- [Hypertrophy](#)
- [Language Disorders](#)
- [LEOPARD Syndrome](#)
- [Memory](#)
- [Motor Skills](#)
- [Noonan Syndrome](#)
- [Skin Abnormalities](#)
- [Thyroid Neoplasms](#)