


RecomAb™

NLRP3 recombinant monoclonal antibody, clone R07-9E9

Catalog # RAB01652 Size 100 uL

Applications



Western Blot

Western blot analysis of NLRP3 in THP-1 lysates using human NLRP3 recombinant monoclonal antibody, clone R07-9E9 (Cat # RAB01652).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human NLRP3.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human NLRP3
Theoretical MW (kDa)	Calculated MW: 118 k
Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)

Storage Instruction

Store at 4°C for short term. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of NLRP3 in THP-1 lysates using human NLRP3 recombinant monoclonal antibody, clone R07-9E9 (Cat # RAB01652).

Gene Info — NLRP3

Entrez GeneID[114548](#)**Protein Accession#**[Q96P20](#)**Gene Name**

NLRP3

Gene Alias

AGTAVPRL, AII, AII/AVP, AVP, C1orf7, CIAS1, CLR1.1, FCAS, FCU, FLJ95925, MWS, NALP3, PYPAF1

Gene Description

NLR family, pyrin domain containing 3

Omim ID[120100](#) [191900](#) [606416](#) [607115](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a pyrin-like protein containing a pyrin domain, a nucleotide-binding site (NBS) domain, and a leucine-rich repeat (LRR) motif. This protein interacts with the apoptosis-associated speck-like protein PYCARD/ASC, which contains a caspase recruitment domain, and is a member of the NALP3 inflammasome complex. This complex functions as an upstream activator of NF- κ B signaling, and it plays a role in the regulation of inflammation, the immune response, and apoptosis. Mutations in this gene are associated with familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome, and neonatal-onset multisystem inflammatory disease (NOMID). Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. Alternative 5' UTR structures are suggested by available data; however, insufficient evidence is available to determine if all of the represented 5' UTR splice patterns are biologically valid. [provided by RefSeq]

Other Designations

AII/AVP receptor-like|NACHT domain-, leucine-rich repeat-, and PYD-containing protein 3|NACHT, LRR and PYD containing protein 3|OTTHUMP00000038408|OTTHUMP00000038409|OTTHUMP00000038410|PYRIN-containing APAF1-like protein 1|angiotensin/vasopressin receptor

Disease

- [Amyloidosis](#)
- [Anaphylaxis](#)
- [Arthritis](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Autoimmune Diseases](#)
- [Behcet Syndrome](#)
- [Candidiasis](#)
- [Cardiovascular Diseases](#)
- [Chlamydia Infections](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Dermatitis](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Drug Hypersensitivity](#)
- [Edema](#)
- [Fallopian Tube Diseases](#)
- [Familial Mediterranean fever](#)
- [Food Hypersensitivity](#)
- [Genetic Predisposition to Disease](#)
- [Hematologic Neoplasms](#)
- [HIV Infections](#)
- [Hypertension](#)
- [Infertility](#)

- [Inflammation](#)
- [Inflammatory Bowel Diseases](#)
- [Mycoplasma Infections](#)
- [NARP](#)
- [Recurrence](#)
- [Syndrome](#)
- [Vulvar Vestibulitis](#)