

RecomAb™

EZR (phospho Thr567/Thr564/Thr558) recombinant monoclonal antibody, clone R03-1G3

Catalog # RAB01787 Size 100 uL

Applications



Western Blot

Western blot analysis of Lane1: Hela, Lane2: CHO-K1 and Lane3: C6 lysates with EZR (phospho Thr567/Thr564/Thr558) recombinant monoclonal antibody, clone R03-1G3 (Cat # RAB01787).

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human EZR.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surroundin g Thr567 of human EZR.
Theoretical MW (kDa)	Calculated MW: 69 kD
Reactivity	Hamster, Human, Mouse, Rat
Form	Liquid
Purification	Affinity purification
Isotype	lgG



Product Information

Recommend Usage	Immunohistochemistry (1:50-1/100) Immunoprecipitation (1:20) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at -20 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot

Western blot analysis of Lane1: Hela, Lane2: CHO-K1 and Lane3: C6 lysates with EZR (phospho Thr567/Thr564/Thr558) recombinant monoclonal antibody, clone R03-1G3 (Cat # RAB01787).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
- Immunoprecipitation

Gene Info — EZR	
Entrez GenelD	7430
Protein Accession#	P15311
Gene Name	EZR
Gene Alias	CVIL, CVL, DKFZp762H157, FLJ26216, MGC1584, VIL2
Gene Description	ezrin
Omim ID	123900
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The cytoplasmic peripheral membrane protein encoded by this gene functions as a protein-tyrosin e kinase substrate in microvilli. As a member of the ERM protein family, this protein serves as an intermediate between the plasma membrane and the actin cytoskeleton. This protein plays a key role in cell surface structure adhesion, migration and organization, and it has been implicated in various human cancers. A pseudogene located on chromosome 3 has been identified for this gene. Alternatively spliced variants have also been described for this gene. [provided by RefSeq





Other Designations

OTTHUMP00000017506|OTTHUMP00000017507|cytovillin 2|villin 2 (ezrin)

Pathway

- Leukocyte transendothelial migration
- Pathogenic Escherichia coli infection EHEC
- Regulation of actin cytoskeleton

Disease

- Asthma
- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Hypersensitivity
- Lung Neoplasms
- Ovarian Neoplasms
- Pulmonary Disease
- Tobacco Use Disorder
- Urinary Bladder Neoplasms
- Werner syndrome