


RecomAb™

CDC37 (phospho Ser13) recombinant monoclonal antibody, clone R04-418

Catalog # RAB01794 Size 100 uL

Applications



Western Blot

Western blot analysis of Lane1: Hela, Lane2: rat brain and Lane3: Ramos lysates with CDC37 (phospho Ser13) recombinant monoclonal antibody, clone R04-4l8 (Cat # RAB01794).

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human CDC37.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surroundin g Ser13 of human CDC37.
Theoretical MW (kDa)	Calculated MW: 44 kD
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity purification
lsotype	lgG
Recommend Usage	Immunoprecipitation (1:20) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.

Copyright © 2023 Abnova Corporation. All Rights Reserved.

😵 Abnova

Product Information

Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at -20 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot

Western blot analysis of Lane1: Hela, Lane2: rat brain and Lane3: Ramos lysates with CDC37 (phospho Ser13) recombinant monoclonal antibody, clone R04-4l8 (Cat # RAB01794).

• Immunoprecipitation

Gene Info — CDC37

Entrez GenelD	<u>11140</u>
Protein Accession#	<u>Q16543</u>
Gene Name	CDC37
Gene Alias	P50CDC37
Gene Description	cell division cycle 37 homolog (S. cerevisiae)
Omim ID	<u>605065</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is highly similar to Cdc 37, a cell division cycle control protein of Sacchromyces cerevisiae. This protein is a molecular chaperone with specific function in cell sign al transduction. It has been shown to form complex with Hsp90 and a variety of protein kinases inc luding CDK4, CDK6, SRC, RAF-1, MOK, as well as eIF2 alpha kinases. It is thought to play a criti cal role in directing Hsp90 to its target kinases. [provided by RefSeq
Other Designations	CDC37 (cell division cycle 37, S. cerevisiae, homolog) CDC37 cell division cycle 37 homolog Hs p90 co-chaperone Cdc37 cell division cycle 37 protein

🗑 Abnova

- Adenocarcinoma
- Genetic Predisposition to Disease
- Pancreatic Neoplasms