

RecomAb™

PDGFRA recombinant monoclonal antibody, clone R06-7D7

Catalog # RAB02015 Size 100 uL

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human PDGFRA.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human PDGFRA.
Theoretical MW (kDa)	Calculated MW: 123 k
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunofluorescence (1:50-1:200) Immunohistochemistry (1:50-1:100) Immunoprecipitation (1:20) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at -20 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation

Gene Info — PDGFRA

Entrez GeneID [5156](#)

Protein Accession# [P16234](#)

Gene Name PDGFRA

Gene Alias CD140A, MGC74795, PDGFR2, Rhe-PDGFRA

Gene Description platelet-derived growth factor receptor, alpha polypeptide

Omim ID [173490](#) [606764](#) [607685](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes a cell surface tyrosine kinase receptor for members of the platelet-derived growth factor family. These growth factors are mitogens for cells of mesenchymal origin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-derived growth factor receptor alpha and beta polypeptides. Studies in knockout mice, where homozygosity is lethal, indicate that the alpha form of the platelet-derived growth factor receptor is particularly important for kidney development since mice heterozygous for the receptor exhibit defective kidney phenotypes. [provided by RefSeq]

Other Designations FIP1L1/PDGFRA fusion protein|platelet-derived growth factor receptor alpha|rearranged-in-hyper eosinophilia-platelet derived growth factor receptor alpha fusion protein

Pathway

- [Calcium signaling pathway](#)
- [Colorectal cancer](#)
- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [Focal adhesion](#)

- [Gap junction](#)
- [Glioma](#)
- [MAPK signaling pathway](#)
- [Melanoma](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Regulation of actin cytoskeleton](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Aneuploidy](#)
- [Asthma](#)
- [Brain Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Esophageal Neoplasms](#)

- [Gastrointestinal Stromal Tumors](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Hyperparathyroidism](#)
- [Leukemia](#)
- [Liver Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Malignant melanoma](#)
- [Meningomyelocele](#)
- [Metabolic Syndrome X](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neural Tube Defects](#)
- [Osteoporosis](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Spinal Dysraphism](#)
- [Subdural Effusion](#)
- [Tobacco Use Disorder](#)
- [Tooth Abnormalities](#)
- [Uterine Cervical Neoplasms](#)
- [Vitiligo](#)