


RecomAb™

MCM2 (phospho Ser108) recombinant monoclonal antibody, clone R01-7G9

Catalog # RAB02115 Size 100 uL


Applications



Western Blot

Western Blot analysis of Lane 1: K562, Lane 2: 3T3 and Lane 3: HeLa lysates with MCM2 (phospho Ser108) recombinant monoclonal antibody, clone R01-7G9 (Cat # RAB02115).

Immunocytochemistry



Immunocytochemical staining of HeLa with MCM2 (phospho Ser108) recombinant monoclonal antibody, clone R01-7G9 (Cat # RAB02115). (A) MCM2 (green) and (B) DAPI (blue).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human MCM2.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surrounding Ser108 of human MCM2.
Theoretical MW (kDa)	Calculated MW: 102 k
Reactivity	Human, Mouse, Rat

Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunocytochemistry Immunofluorescence(1:50-1:200) Immunoprecipitation(1:20) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at -20 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western Blot analysis of Lane 1: K562, Lane 2: 3T3 and Lane 3: Hela lysates with MCM2 (phospho Ser108) recombinant monoclonal antibody, clone R01-7G9 (Cat # RAB02115).

- Immunocytochemistry

Immunocytochemical staining of Hela with MCM2 (phospho Ser108) recombinant monoclonal antibody, clone R01-7G9 (Cat # RAB02115). (A) MCM2 (green) and (B) DAPI (blue).

- Immunofluorescence

- Immunoprecipitation

Gene Info — MCM2

Entrez GeneID	4171
Protein Accession#	P49736
Gene Name	MCM2
Gene Alias	BM28, CCNL1, CDCL1, D3S3194, KIAA0030, MGC10606, MITOTIN, cdc19

Gene Description	minichromosome maintenance complex component 2
Omim ID	116945
Gene Ontology	Hyperlink
Gene Summary	<p>The protein encoded by this gene is one of the highly conserved mini-chromosome maintenance proteins (MCM) that are involved in the initiation of eukaryotic genome replication. The hexameric protein complex formed by MCM proteins is a key component of the pre-replication complex (pre-RC) and may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. This protein forms a complex with MCM4, 6, and 7, and has been shown to regulate the helicase activity of the complex. This protein is phosphorylated, and thus regulated by, protein kinases CDC2 and CDC7. [provided by RefSeq]</p>
Other Designations	DNA replication licensing factor MCM2 MCM2 minichromosome maintenance deficient 2, mitotin cell division cycle-like 1 cyclin-like 1 minichromosome maintenance deficient 2 (mitotin) nuclear protein BM28

Pathway

- [Cell cycle](#)
- [DNA replication](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Ovarian Neoplasms](#)