


RecomAb™

G6PD recombinant monoclonal antibody, clone R02-6B6

Catalog # RAB02253 Size 100 uL

Applications



Western Blot

Western Blot analysis of Lane 1: Hela, Lane 2: A549 and Lane 3: U2OS lysates with G6PD recombinant monoclonal antibody, clone R02-6B6 (Cat # RAB02253).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human G6PD.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human G6PD.
Theoretical MW (kDa)	Calculated MW: 59 kD
Reactivity	Human, Rat
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1:100) Immunoprecipitation(1:20) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)

Storage Instruction

Store at -20 °C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western Blot analysis of Lane 1: Hela, Lane 2: A549 and Lane 3: U2OS lysates with G6PD recombinant monoclonal antibody, clone R02-6B6 (Cat # RAB02253).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

- Immunoprecipitation

Gene Info — G6PD

Entrez GeneID[2539](#)**Protein Accession#**[P11413](#)**Gene Name**

G6PD

Gene Alias

G6PD1

Gene Description

glucose-6-phosphate dehydrogenase

Omim ID[305900](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes glucose-6-phosphate dehydrogenase. This protein is a cytosolic enzyme encoded by a housekeeping X-linked gene whose main function is to produce NADPH, a key electron donor in the defense against oxidizing agents and in reductive biosynthetic reactions. G6PD is remarkable for its genetic diversity. Many variants of G6PD, mostly produced from missense mutations, have been described with wide ranging levels of enzyme activity and associated clinical symptoms. G6PD deficiency may cause neonatal jaundice, acute hemolysis, or severe chronic non-spherocytic hemolytic anemia. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations

OTTHUMP00000026034|glucose-6-phosphate 1-dehydrogenase|glucose-6-phosphate dehydrogenase, G6PD

Pathway

- [Biosynthesis of alkaloids derived from histidine and purine](#)
- [Biosynthesis of plant hormones](#)
- [Glutathione metabolism](#)
- [Metabolic pathways](#)
- [Pentose phosphate pathway](#)

Disease

- [alpha-Thalassemia](#)
- [Anemia](#)
- [beta-Thalassemia](#)
- [Birth Weight](#)
- [Cardiovascular Diseases](#)
- [Coronary Disease](#)
- [Diabetes Mellitus](#)
- [Diabetic Ketoacidosis](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Elliptocytosis](#)
- [Encephalitis](#)
- [Favism](#)
- [Genetic Predisposition to Disease](#)
- [Gilbert Disease](#)
- [Glucosephosphate Dehydrogenase Deficiency](#)
- [Glycogen Storage Disease Type I](#)
- [Hemoglobinuria](#)

- [Hemolysis](#)
- [Hyperbilirubinemia](#)
- [Jaundice](#)
- [Lymphoma](#)
- [Malaria](#)
- [Metabolism](#)
- [Parasitemia](#)
- [Sickle Cell Trait](#)
- [Stroke](#)
- [Syndrome](#)
- [Thalassemia](#)
- [Wounds and Injuries](#)