


RecomAb™

FKBP4 recombinant monoclonal antibody


Catalog # RAB02497 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of Raw264.7 (A), Jurkat (B), C6 (C), CHOK1 (D), Hela (E) whole cell lysates with FKBP4 recombinant monoclonal antibody (Cat # RAB02497).



Immunofluorescence

Immunofluorescent analysis of HeLa cells with FKBP4 recombinant monoclonal antibody (Cat # RAB02497). Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a hidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark.

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human FKBP4.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide of human FKBP52.
Theoretical MW (kDa)	50
Reactivity	Hamster, Human, Mouse, Rat
Specificity	Recognizes endogenous levels of FKBP4 protein.



Form	Liquid
Purification	Immunogen affinity chromatography
Isotype	lgG
Recommend Usage	Immunocytochemistry (1:50-1:100)
_	Immunofluorescence (1:50-1:100)
	Western Blot (1:500-1:1000)
	The optimal working dilution should be determined by the end user.
Storage Buffer	In 50mM Tris-Glycine, pH 7.4 (0.15M NaCl, 50% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at 4°C short term.
	Aliquot and store at -20°C long term.
	Avoid freeze-thaw cycles.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul
	d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of Raw264.7 (A), Jurkat (B), C6 (C), CHOK1 (D), Hela (E) whole cell lysates with FKBP4 recombinant monoclonal antibody (Cat # RAB02497).

- Immunocytochemistry
- Immunofluorescence

Immunofluorescent analysis of HeLa cells with FKBP4 recombinant monoclonal antibody (Cat # RAB02497). Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a hidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark.

Gene Info — FKBP4		
Entrez GenelD	<u>2288</u>	
Protein Accession#	Q02790	
Gene Name	FKBP4	



Product Information

Gene Alias	FKBP52, FKBP59, HBI, Hsp56, PPlase, p52
Gene Description	FK506 binding protein 4, 59kDa
Omim ID	600611
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the immunophilin protein family, which play a rol e in immunoregulation and basic cellular processes involving protein folding and trafficking. This e ncoded protein is a cis-trans prolyl isomerase that binds to the immunosuppressants FK506 and r apamycin. It has high structural and functional similarity to FK506-binding protein 1A (FKBP1A), b ut unlike FKBP1A, this protein does not have immunosuppressant activity when complexed with FK506. It interacts with interferon regulatory factor-4 and plays an important role in immunoregulato ry gene expression in B and T lymphocytes. This encoded protein is known to associate with phyt anoyl-CoA alpha-hydroxylase. It can also associate with two heat shock proteins (hsp90 and hsp70) and thus may play a role in the intracellular trafficking of hetero-oligomeric forms of the steroid hormone receptors. This protein correlates strongly with adeno-associated virus type 2 vectors (AAV) resulting in a significant increase in AAV-mediated transgene expression in human cell lines. Thus this encoded protein is thought to have important implications for the optimal use of AAV vectors in human gene therapy. The human genome contains several non-transcribed pseudogenes si milar to this gene. [provided by RefSeq
Other Designations	52 kD FK506 binding protein FK506 binding protein 4 (59kD) FK506 binding protein 52 FK506-binding protein 4 (59kD) HSP binding immunophilin T-cell FK506-binding protein, 59kD p59 protein peptidylprolyl cis-trans isomerase rotamase

Disease

- Asthma
- Genetic Predisposition to Disease
- Glaucoma
- Hypospadias
- Syndrome