


RecomAb™

NGFR recombinant monoclonal antibody


Catalog # RAB02665 Size 100 uL

Applications




Western Blot (Tissue lysate)

Western blot analysis of Lane1: The skeletal muscle tissue lysate of Human with NGFR recombinant monoclonal antibody (Cat # RAB02665) at 1:1000 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human uterus tissue using NGFR recombinant monoclonal antibody (Cat # RAB02665). Counter stained with hematoxylin



Immunocytochemistry

Immunocytochemical staining of HeLa cells using NGFR recombinant monoclonal antibody (Cat # RAB02665)(green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton *100/PBS.

Specification

Product Description

Rabbit recombinant monoclonal antibody raised against NGFR.

Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant NGFR.
Theoretical MW (kDa)	45, 75
Reactivity	Human, Mouse, Rat
Specificity	This antibody detects endogenous levels of NGFR p75 and does not cross-react with related proteins.
Form	Liquid
Purification	Protein A purification
Isotype	IgG
Recommend Usage	Immunocytochemistry (1:50-1:200) Immunofluorescence (1:50-1:200) Immunohistochemistry (1:50-1:200) Immunoprecipitation (1:50-1:200) Western Blot (1:1000-1:5000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS , pH7.2 (0.02% sodium azide and 50% glycerol)
Storage Instruction	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

Western blot analysis of Lane1:The skeletal muscle tissue lysate of Human with NGFR recombinant monoclonal antibody (Cat # RAB02665) at 1:1000 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human uterus tissue using NGFR recombinant monoclonal antibody (Cat # RAB02665). Counter stained with hematoxylin

- Immunocytochemistry

Immunocytochemical staining of HeLa cells using NGFR recombinant monoclonal antibody (Cat # RAB02665)(green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X-100/PBS.

- Immunofluorescence
- Immunoprecipitation

Gene Info — NGFR

Entrez GeneID [4804](#)

Protein Accession# [P08138](#)

Gene Name NGFR

Gene Alias CD271, Gp80-LNGFR, TNFRSF16, p75(NTR), p75NTR

Gene Description nerve growth factor receptor (TNFR superfamily, member 16)

Omim ID [162010](#)

Gene Ontology [Hyperlink](#)

Gene Summary Nerve growth factor receptor contains an extracellular domain containing four 40-amino acid repeats with 6 cysteine residues at conserved positions followed by a serine/threonine-rich region, a single transmembrane domain, and a 155-amino acid cytoplasmic domain. The cysteine-rich region contains the nerve growth factor binding domain. [provided by RefSeq]

Other Designations low affinity nerve growth factor receptor|low-affinity nerve growth factor receptor|nerve growth factor receptor

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Neurotrophin signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Asperger Syndrome](#)
- [Asthma](#)

- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Bronchiolitis](#)
- [Celiac Disease](#)
- [Depressive Disorder](#)
- [Disease Models](#)
- [Eating Disorders](#)
- [Genetic Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Infant](#)
- [Kidney Failure](#)
- [Mental Disorders](#)
- [Multiple Sclerosis](#)
- [Respiratory Syncytial Virus Infections](#)
- [Social Perception](#)