


RecomAb™

RB1 recombinant monoclonal antibody, clone RbS807S811-D9


Catalog # RAB02788 Size 200 uL

Applications



Western Blot

Western blot analysis of NIH3T3 cell extract untreated or treated with 20% FBS using Phospho-Rb (Ser807/Ser811) antibody RbS807S811-D9 at 0.1 ug/mL.



Flow Cytometry

Flow cytometric analysis of U937 cells untreated and unstained as negative control (blue) or untreated and stained (green) or treated with lambda phosphatase and stained (red) using Phospho-Rb (Ser807/811) antibody RBS807S811-D9. at 1 ug/mL.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human RB1.
Antibody Species	Rabbit
Immunogen	A synthetic phospho-peptide corresponding to residues surrounding Ser807/Ser811 of human phospho Rb
Reactivity	Human
Form	Liquid

Purification	Protein A+G
Isotype	Rabbit IgG1k
Recommend Usage	Flow Cytometry Western Blot The optimal working dilution should be determined by the end user.
Storage Buffer	1X PBS, 0.02% Sodium azide, 50% Glycerol, 0.1% BSA
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of NIH3T3 cell extract untreated or treated with 20% FBS using Phospho-Rb (Ser807/Ser811) antibody RbS807S811-D9 at 0.1 ug/mL.

- Flow Cytometry

Flow cytometric analysis of U937 cells untreated and unstained as negative control (blue) or untreated and stained (green) or treated with lambda phosphatase and stained (red) using Phospho-Rb (Ser807/811) antibody RBS807S811-D9. at 1 ug/mL.

Gene Info — RB1

Entrez GeneID	5925
Protein Accession#	P06400
Gene Name	RB1
Gene Alias	OSRC, RB, p105-Rb, pRb, pp110
Gene Description	retinoblastoma 1
Omim ID	109800 180200 259500
Gene Ontology	Hyperlink

Gene Summary

The protein encoded by this gene is a negative regulator of the cell cycle and was the first tumor suppressor gene found. The encoded protein also stabilizes constitutive heterochromatin to maintain the overall chromatin structure. The active, hypophosphorylated form of the protein binds transcription factor E2F1. Defects in this gene are a cause of childhood cancer retinoblastoma (RB), bladder cancer, and osteogenic sarcoma. [provided by RefSeq]

Other Designations

OTTHUMP00000018397|retinoblastoma susceptibility protein|retinoblastoma-associated protein

Pathway

- [Bladder cancer](#)
- [Cell cycle](#)
- [Chronic myeloid leukemia](#)
- [Glioma](#)
- [Melanoma](#)
- [Non-small cell lung cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)

Disease

- [Adenocarcinoma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Chromosomal Instability](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)

- [Colorectal Neoplasms](#)
- [Cystadenocarcinoma](#)
- [Disease Progression](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Neoplasm Invasiveness](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Retinal Neoplasms](#)
- [Retinoblastoma](#)
- [Tobacco Use Disorder](#)