


#### RecomAb™

# H3-4 recombinant monoclonal antibody, clone HisH3S28-D6 (FITC)

Catalog # RAB02903 Size 100 Reactions

### Applications



#### Flow Cytometry

Flow cytometric analysis of Hela cells unstained untreated cells (blue) or stained untreated (red) or treated with nocodazole (green) using Phospho-Histone H3-FITC conjugate (Ser28) antibody HisH3S28-D6.

#### Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human H3-4.
Antibody Species	Rabbit
Immunogen	A synthetic phospho-peptide corresponding to residues surrounding Ser28 of human phospho Histo ne H3
Reactivity	Human
Form	Liquid
Purification	Protein A+G
lsotype	Rabbit lgG1k
Conjugation Note	FITC



#### **Product Information**

Recommend Usage	Flow Cytometry The optimal working dilution should be determined by the end user.
Storage Buffer	1X PBS, 0.09% Sodium azide, 0.2% BSA
Storage Instruction	Store at 4°C. Do not freeze.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

#### Applications

Flow Cytometry

Flow cytometric analysis of Hela cells unstained untreated cells (blue) or stained untreated (red) or treated with nocodazole (green) using Phospho-Histone H3-FITC conjugate (Ser28) antibody HisH3S28-D6.

## Gene Info — HIST3H3

Entrez GenelD	8290
Protein Accession#	<u>Q16695</u>
Gene Name	HIST3H3
Gene Alias	H3.4, H3/g, H3FT, H3t, MGC126886, MGC126888
Gene Description	histone cluster 3, H3
Omim ID	<u>602820</u>
Gene Ontology	Hyperlink
Gene Summary	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chro mosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped aro und a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H 4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; inste ad, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq
Other Designations	H3 histone family, member T OTTHUMP00000037945 histone 3, H3

Copyright © 2023 Abnova Corporation. All Rights Reserved.



• Systemic lupus erythematosus