


RecomAb™

H3-4 recombinant monoclonal antibody, clone HisH3S10-4B6 (FITC)

Catalog # RAB02910 Size 100 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of Hela cells unstained as negative control (blue) or untreated (red) or treated with nocodazole (green) and stained using Phospho-Histone H3 (Ser10) FITC conjugated antibody HisH3S10-4B6.

| Specification | |
|---------------------|--|
| Product Description | Rabbit recombinant monoclonal antibody raised against human H3-4. |
| Antibody Species | Rabbit |
| Immunogen | A synthetic phospho-peptide corresponding to residues surrounding Ser10 of human phospho histon e H3 |
| Reactivity | Human |
| Form | Liquid |
| Conjugation | FITC |
| Purification | Protein A purification, Protein G purification |
| Isotype | lgG |
| Recommend Usage | Flow Cytometry The optimal working dilution should be determined by the end user. |



Product Information

| Storage Buffer | 1X PBS, 0.09% Sodium azide, 0.2% BSA |
|---------------------|---|
| Storage Instruction | Store at 4°C. Do not freeze. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |

Applications

Flow Cytometry

Flow cytometric analysis of Hela cells unstained as negative control (blue) or untreated (red) or treated with nocodazole (green) and stained using Phospho-Histone H3 (Ser10) FITC conjugated antibody HisH3S10-4B6.

| Gene Info — HIST3H3 | |
|---------------------|--|
| Entrez GenelD | 8290 |
| Protein Accession# | Q16695 |
| Gene Name | HIST3H3 |
| Gene Alias | H3.4, H3/g, H3FT, H3t, MGC126886, MGC126888 |
| Gene Description | histone cluster 3, H3 |
| Omim ID | 602820 |
| Gene Ontology | <u>Hyperlink</u> |
| Gene Summary | Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chro mosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped aro und a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; inste ad, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq |
| Other Designations | H3 histone family, member T OTTHUMP00000037945 histone 3, H3 |

Pathway

Systemic lupus erythematosus