


RecomAb™

# H3-4 recombinant monoclonal antibody, clone HisH3S10-4B6 (APC)

Catalog # RAB02911      Size 100 Reactions

## Applications



### Flow Cytometry

Flow cytometric analysis of HeLa cells secondary antibody only negative control (blue) or untreated (red) or treated with nocodazole (green) using Phospho-Histone H3 (Ser10) APC conjugated antibody HisH3S10-4B6.

## Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human H3-4.
Antibody Species	Rabbit
Immunogen	A synthetic phospho-peptide corresponding to residues surrounding Ser10 of human phospho histone H3
Reactivity	Human
Form	Liquid
Conjugation	APC
Purification	Protein A purification, Protein G purification
Isotype	IgG

Recommend Usage	Flow Cytometry The optimal working dilution should be determined by the end user.
Storage Buffer	1X PBS, 0.09% Sodium azide, 0.2% BSA
Storage Instruction	Store at 4°C. Do not freeze.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Flow Cytometry

Flow cytometric analysis of Hela cells secondary antibody only negative control (blue) or untreated (red) or treated with nocodazole (green) using Phospho-Histone H3 (Ser10) APC conjugated antibody HisH3S10-4B6.

## Gene Info — HIST3H3

Entrez GeneID	<a href="#">8290</a>
Protein Accession#	<a href="#">Q16695</a>
Gene Name	HIST3H3
Gene Alias	H3.4, H3/g, H3FT, H3t, MGC126886, MGC126888
Gene Description	histone cluster 3, H3
Omim ID	<a href="#">602820</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq]
Other Designations	H3 histone family, member T OTTHUMP00000037945 histone 3, H3

## Pathway

- [Systemic lupus erythematosus](#)