

RecombAb™

# FAS recombinant monoclonal antibody, clone R-125224

Catalog # RAB03438      Size 200 ug


## Applications



### Western Blot

Western blot analysis of Lane 1: human testis and Lane 2: human ovary lysates with FAS recombinant monoclonal antibody, clone R-125224 (Cat # RAB03438).


Western Blot analysis the lysates (35 ug protein in RIPA buffer) were resolved on a 10% SDS PAGE gel and blots probed with the chimeric r version of RAB03438 at 2 ug/mL before detection using an anti-rondary antibody. A primary incubation of 1h was used and protein was detected by chemiluminescence.



### Immunofluorescence

Immunofluorescent staining of MCF-7 cells with FAS recombinant monoclonal antibody, clone R-125224 (Cat # RAB03438)

Immunofluorescence analysis of paraformaldehyde fixed MCF-7 cells, permeabilized with 0.15% Triton stained with the chimeric mouse IgG1 version of RAB03438 at 10 ug/mL for 1h followed by Alexa Fluor® 488 secondary antibody (2 ug/mL), showing membrane and cytoplasmic staining. The nuclear stain is DAPI (blue). The isotype control was stained with anti-unknown specificity followed by staining with Alexa Fluor® 488 secondary antibody.



### Flow Cytometry

Flow cytometric analysis of Jurkat cells with FAS recombinant monoclonal antibody, clone R-125224 (Cat # RAB03438).

Jurkat cells fixed using 2% PFA and permeabilized with 0.5% Triton were stained with unimmunized r antibody (isotype control-black line) or the r chimeric version of RAB03438 (blue line) at a dilution of 1:100 for 1h at RT. After washing the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

## Specification

<b>Product Description</b>	Rabbit recombinant monoclonal antibody raised against human FAS.
<b>Antibody Species</b>	Rabbit
<b>Immunogen</b>	Original antibody is raised against partially purified recombinant human Fas-AIC2A chimera protein.
<b>Reactivity</b>	Human
<b>Form</b>	Liquid
<b>Isotype</b>	IgG
<b>Recommend Usage</b>	ELISA Flow Cytometry Immunofluorescence Western Blot The optimal working dilution should be determined by the end user.
<b>Storage Buffer</b>	In PBS with 0.02% Proclin 300
<b>Storage Instruction</b>	Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot

Western blot analysis of Lane 1: human testis and Lane 2: human ovary lysates with FAS recombinant monoclonal antibody, clone R-125224 (Cat # RAB03438).

Western Blot analysis the lysates (35 ug protein in RIPA buffer) were resolved on a 10% SDS PAGE gel and blots probed with the chimeric r version of RAB03438 at 2 ug/mL before detection using an anti-rondary antibody. A primary incubation of 1h was used and protein was detected by chemiluminescence.

- Immunofluorescence

Immunofluorescent staining of MCF-7 cells with FAS recombinant monoclonal antibody, clone R-125224 (Cat # RAB03438) Immunofluorescence analysis of paraformaldehyde fixed MCF-7 cells, permeabilized with 0.15% Triton stained with the chimeric mouse IgG1 version of RAB03438 at 10 ug/mL for 1h followed by Alexa Fluor® 488 secondary antibody (2 ug/mL), showing membrane and cytoplasmic staining. The nuclear stain is DAPI (blue). The isotype control was stained with anti-unknown specificity followed by staining with Alexa Fluor® 488 secondary antibody.

- Enzyme-linked Immunoabsorbent Assay

- Flow Cytometry

Flow cytometric analysis of Jurkat cells with FAS recombinant monoclonal antibody, clone R-125224 (Cat # RAB03438). Jurkat cells fixed using 2% PFA and permeabilized with 0.5% Triton were stained with unimmunized r antibody (isotype control-black line) or the r chimeric version of RAB03438 (blue line) at a dilution of 1:100 for 1h at RT. After washing the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

## Gene Info — FAS

<b>Entrez GeneID</b>	<a href="#">355</a>
<b>Gene Name</b>	FAS
<b>Gene Alias</b>	ALPS1A, APO-1, APT1, CD95, FAS1, FASTM, TNFRSF6
<b>Gene Description</b>	Fas (TNF receptor superfamily, member 6)
<b>Omim ID</b>	<a href="#">134637</a> <a href="#">601859</a>
<b>Gene Ontology</b>	<a href="#">Hyperlink</a>
<b>Gene Summary</b>	<p>The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains a death domain. It has been shown to play a central role in the physiological regulation of programmed cell death, and has been implicated in the pathogenesis of various malignancies and diseases of the immune system. The interaction of this receptor with its ligand allows the formation of a death-inducing signaling complex that includes Fas-associated death domain protein (FADD), caspase 8, and caspase 10. The autoproteolytic processing of the caspases in the complex triggers a downstream caspase cascade, and leads to apoptosis. This receptor has been also shown to activate NF-kappaB, MAPK3/ERK1, and MAPK8/JNK, and is found to be involved in transducing the proliferating signals in normal diploid fibroblast and T cells. At least eight alternatively spliced transcript variants have been described, some of which are candidates for nonsense-mediated decay (NMD). The isoforms lacking the transmembrane domain may negatively regulate the apoptosis mediated by the full length isoform. [provided by RefSeq]</p>
<b>Other Designations</b>	APO-1 cell surface antigen CD95 antigen Fas AMA Fas antigen OTTHUMP00000020045 OTTHUMP00000020046 OTTHUMP00000020051 OTTHUMP00000059646 apoptosis antigen 1 tumor necrosis factor receptor superfamily member 6 tumor necrosis factor receptor superfamily, mem

## Pathway

- [Allograft rejection](#)
- [Apoptosis](#)
- [Autoimmune thyroid disease](#)

- [Cytokine-cytokine receptor interaction](#)
- [Graft-versus-host disease](#)
- [MAPK signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [p53 signaling pathway](#)
- [Pathways in cancer](#)
- [Type I diabetes mellitus](#)

## Disease

- [Acquired Immunodeficiency Syndrome](#)
- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Atrophy](#)
- [Autoimmune Diseases](#)
- [Autoimmune Lymphoproliferative Syndrome](#)
- [Azoospermia](#)
- [Bone Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Carcinoma in Situ](#)

- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Cervical Intraepithelial Neoplasia](#)
- [Cognition Disorders](#)
- [Colitis](#)
- [Colorectal Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Crohn Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [DNA Damage](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Endometriosis](#)
- [Esophageal Neoplasms](#)
- [Eye Diseases](#)
- [Fetal Diseases](#)
- [Fetal Growth Retardation](#)
- [Fetal Membranes](#)
- [Gastroesophageal Reflux](#)
- [Genetic Predisposition to Disease](#)
- [Genital Neoplasms](#)
- [Glaucoma](#)
- [Graves Disease](#)
- [Head and Neck Neoplasms](#)

- [Helicobacter Infections](#)
- [HELLP Syndrome](#)
- [Hematologic Diseases](#)
- [Hepatitis](#)
- [Hepatitis B](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [HIV-Associated Lipodystrophy Syndrome](#)
- [Hodgkin Disease](#)
- [HTLV-I Infections](#)
- [Hyperlipidemias](#)
- [Hypertension](#)
- [Infant](#)
- [Infection](#)
- [Infertility](#)
- [Inflammation](#)
- [Inflammatory Bowel Diseases](#)
- [Insulin Resistance](#)
- [Intestinal Neoplasms](#)
- [Kidney Failure](#)
- [Leber hereditary optic neuropathy](#)
- [Leukemia](#)
- [Leukoplakia](#)
- [Lung carcinoma](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)

- [Lymphatic Metastasis](#)
- [Lymphocytosis](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Metabolic Syndrome X](#)
- [Mitochondrial Diseases](#)
- [Mouth Neoplasms](#)
- [Multiple Myeloma](#)
- [Multiple Sclerosis](#)
- [Musculoskeletal Diseases](#)
- [Myocardial Infarction](#)
- [Nasopharyngeal Neoplasms](#)
- [Necrosis](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Obesity](#)
- [Occupational Diseases](#)
- [Oligospermia](#)
- [Optic Atrophy](#)
- [Oral Submucous Fibrosis](#)
- [Osteoporosis](#)
- [Osteosarcoma](#)

- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Papillomavirus Infections](#)
- [Pharyngeal Neoplasms](#)
- [Polycystic Ovary Syndrome](#)
- [Precancerous Conditions](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostatic Neoplasms](#)
- [Psychiatric Status Rating Scales](#)
- [Pulmonary Disease](#)
- [Sarcoidosis](#)
- [Scleroderma](#)
- [Silicosis](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Spondylarthropathies](#)
- [Stomach Neoplasms](#)
- [Syndrome](#)
- [Thrombocytopenia](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)

- [Uterine Cervical Neoplasms](#)
- [Vitiligo](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)