


RecomAb™

POMC recombinant monoclonal antibody, clone r57

Catalog # RAB03784 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry (Formalin-fixed paraffin-embedded sections) of human pituitary gland with anti-ACTH recombinant monoclonal antibody, clone r57 (Cat # RAB03784).

Specification

Product Description	Mouse recombinant monoclonal antibody raised against synthetic peptide corresponding to an N-terminal peptide (within AA 1-24) from the Synacthen/ACTH region of human POMC.
Antibody Species	Mouse
Immunogen	Original antibody is raised against a synthetic peptide corresponding to an N-terminal peptide (within AA 1-24) from the Synacthen/ACTH region of human POMC
Reactivity	Human
Form	Liquid
Conjugation	Unconjugated
Purification	Protein G affinity chromatography
Concentration	0.2 mg/mL
Isotype	IgG1

Recommend Usage	Flow cytometry (0.5-1 ug/million cells in 0.1mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)(0.5-1 ug/mL for 30 minutes at RT) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 0.1 mg/ml BSA, 0.05% sodium azide
Storage Instruction	Store at 2~8°C. Aliquot to avoid repeated freezing and thawing.
Note	Optimal dilutions for each application to be determined by the researcher

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry (Formalin-fixed paraffin-embedded sections) of human pituitary gland with anti-ACTH recombinant monoclonal antibody, clone r57 (Cat # RAB03784).

- Immunofluorescence

- Flow Cytometry

Gene Info — POMC

Entrez GeneID	5443
Protein Accession#	P01189
Gene Name	POMC
Gene Alias	ACTH, CLIP, LPH, MSH, NPP, POC
Gene Description	proopiomelanocortin
Omim ID	176830 609830
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a polypeptide hormone precursor that undergoes extensive, tissue-specific, post-translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. There are eight potential cleavage sites within the polypeptide precursor and, depending on tissue type and the available convertases, processing may yield as many as ten biologically active peptides involved in diverse cellular functions. The encoded protein is synthesized mainly in corticotroph cells of the anterior pituitary where four cleavage sites are used; adrenocorticotrophin, essential for normal steroidogenesis and the maintenance of normal adrenal weight, and lipotropin beta are the major end products. In other tissues, including the hypothalamus, placenta, and epithelium, all cleavage sites may be used, giving rise to peptides with roles in pain and energy homeostasis, melanocyte stimulation, and immune modulation. These include several distinct melanotropins, lipotropins, and endorphins that are contained within the adrenocorticotrophin and beta-lipotropin peptides. Mutations in this gene have been associated with early onset obesity, adrenal insufficiency, and red hair pigmentation. Alternatively spliced transcript variants encoding the same protein have been described. [provided by RefSeq]

Other Designations

OTTHUMP00000119991|adrenocorticotrophic hormone|adrenocorticotropin|alpha-MSH|alpha-melanocyte-stimulating hormone|beta-LPH|beta-MSH|beta-endorphin|beta-melanocyte-stimulating hormone|corticotropin-like intermediary peptide|gamma-LPH|gamma-MSH|lipotropin b

Pathway

- [Adipocytokine signaling pathway](#)
- [Melanogenesis](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Adenocarcinoma](#)
- [Alcoholism](#)
- [Anorexia Nervosa](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Body Weight](#)
- [Breast Neoplasms](#)

- [Bulimia](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Susceptibility](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fatigue Syndrome](#)
- [Fetal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Hyperparathyroidism](#)
- [Infection](#)
- [Inflammation](#)
- [Lymphoma](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Mental Disorders](#)
- [Metabolic Syndrome X](#)
- [Microsatellite Instability](#)

- [Musculoskeletal Diseases](#)
- [NARP](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Pain](#)
- [Parkinson disease](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Psychiatric Status Rating Scales](#)
- [Psychophysiologic Disorders](#)
- [Puberty](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Somatoform Disorders](#)
- [Substance-Related Disorders](#)
- [Thinness](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Translocation](#)
- [Weight Loss](#)