


RecomAb™

CDH1 recombinant monoclonal antibody, clone 1E1

Catalog # RAB04039 Size 100 uL

Applications



Immunohistochemistry

Immunohistochemistry image of CDH1 recombinant monoclonal antibody, clone 1E1 diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica Bond™ system.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human CDH1.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to full length human CDH1.
Reactivity	Human
Form	Liquid
Purification	Affinity-chromatography
Isotype	IgG
Recommend Usage	ELISA Immunohistochemistry (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)
Storage Instruction	Store at -20 °C or -80 °C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry

Immunohistochemistry image of CDH1 recombinant monoclonal antibody, clone 1E1 diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica BondTM system.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CDH1

Entrez GeneID [999](#)

Protein Accession# [P12830](#)

Gene Name CDH1

Gene Alias Arc-1, CD324, CDHE, ECAD, LCAM, UVO

Gene Description cadherin 1, type 1, E-cadherin (epithelial)

Omim ID [137215 192090](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene is a classical cadherin from the cadherin superfamily. The encoded protein is a calcium dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a trans membrane region and a highly conserved cytoplasmic tail. Mutations in this gene are correlated with gastric, breast, colorectal, thyroid and ovarian cancer. Loss of function is thought to contribute to progression in cancer by increasing proliferation, invasion, and/or metastasis. The ectodomain of this protein mediates bacterial adhesion to mammalian cells and the cytoplasmic domain is required for internalization. Identified transcript variants arise from mutation at consensus splice sites. [provided by RefSeq]

Other Designations cadherin 1, E-cadherin (epithelial)|cadherin 1, type 1|calcium-dependent adhesion protein, epithelial|cell-CAM 120/80|uvomorulin

Pathway

- [Adherens junction](#)

- [Bladder cancer](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Endometrial cancer](#)
- [Melanoma](#)
- [Pathogenic Escherichia coli infection - EHEC](#)
- [Pathways in cancer](#)
- [Thyroid cancer](#)

Disease

- [Adenocarcinoma](#)
- [Asthma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Colitis](#)
- [Colorectal Neoplasms](#)
- [Crohn Disease](#)
- [Disease Progression](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)
- [Head and Neck Neoplasms](#)

- [Helicobacter Infections](#)
- [Hepatitis B](#)
- [Infant](#)
- [Kidney Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Leiomyoma](#)
- [Liver Neoplasms](#)
- [Low Tension Glaucoma](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mouth Neoplasms](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neoplastic Syndromes](#)
- [Obesity](#)
- [Ocular Hypertension](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pharyngeal Neoplasms](#)

- [Prostate cancer](#)
- [Prostatic Hyperplasia](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Stomach Neoplasms](#)
- [Tooth Abnormalities](#)
- [Ureteral Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Urinary Calculi](#)
- [Urologic Neoplasms](#)
- [Uterine Neoplasms](#)
- [Werner syndrome](#)