


RecomAb™

# NR3C1 recombinant monoclonal antibody, clone 2D8


Catalog # RAB04046      Size 100 uL

## Applications



### Western Blot

Western Blot analysis of Lane 1: 293 whole cell lysate; Lane 2: HeLa whole cell lysate; Lane 3: HepG2 whole cell lysate; Lane 4: Jurkat whole cell lysate; Lane 5: A549 whole cell lysate; Lane 6: MCF-7 whole cell lysate; Lane 7: U87 whole cell lysate.



### Flow Cytometry

Overlay histogram showing Jurkat cells stained with NR3C1 recombinant monoclonal antibody, clone 2D8 (red line) at 1:50.

## Specification

|                     |                                                                                                   |
|---------------------|---------------------------------------------------------------------------------------------------|
| Product Description | Rabbit recombinant monoclonal antibody raised against human NR3C1.                                |
| Antibody Species    | Rabbit                                                                                            |
| Immunogen           | Original antibody is raised against recombinant protein corresponding to full length human NR3C1. |
| Reactivity          | Human                                                                                             |
| Form                | Liquid                                                                                            |
| Purification        | Affinity-chromatography                                                                           |

|                     |                                                                                                                                           |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Isotype             | IgG                                                                                                                                       |
| Recommend Usage     | ELISA<br>Flow Cytometry (1:20-1:200)<br>Western Blot (1:500-1:5000)<br>The optimal working dilution should be determined by the end user. |
| Storage Buffer      | In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)                                                                           |
| Storage Instruction | Store at -20 °C or -80 °C.<br>Aliquot to avoid repeated freezing and thawing.                                                             |
| Note                | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.                    |

## Applications

- Western Blot

Western Blot analysis of Lane 1: 293 whole cell lysate; Lane 2: Hela whole cell lysate; Lane 3: HepG2 whole cell lysate; Lane 4: Jurkat whole cell lysate; Lane 5: A549 whole cell lysate; Lane 6: MCF-7 whole cell lysate; Lane 7: U87 whole cell lysate.

- Enzyme-linked Immunoabsorbent Assay

- Flow Cytometry

Overlay histogram showing Jurkat cells stained with NR3C1 recombinant monoclonal antibody, clone 2D8 (red line) at 1:50.

## Gene Info — NR3C1

|                    |                                                                           |
|--------------------|---------------------------------------------------------------------------|
| Entrez GeneID      | <a href="#">2908</a>                                                      |
| Protein Accession# | <a href="#">P04150</a>                                                    |
| Gene Name          | NR3C1                                                                     |
| Gene Alias         | GCCR, GCR, GR, GRL                                                        |
| Gene Description   | nuclear receptor subfamily 3, group C, member 1 (glucocorticoid receptor) |
| Omim ID            | <a href="#">138040</a>                                                    |
| Gene Ontology      | <a href="#">Hyperlink</a>                                                 |

**Gene Summary**

The protein encoded by this gene is a receptor for glucocorticoids that can act as both a transcription factor and as a regulator of other transcription factors. This protein can also be found in heteromeric cytoplasmic complexes along with heat shock factors and immunophilins. The protein is typically found in the cytoplasm until it binds a ligand, which induces transport into the nucleus. Mutations in this gene are a cause of glucocorticoid resistance, or cortisol, resistance. Alternate splicing, the use of at least three different promoters, and alternate translation initiation sites result in several transcript variants encoding the same protein or different isoforms, but the full-length nature of some variants has not been determined. [provided by RefSeq]

**Other Designations**

nuclear receptor subfamily 3, group C, member 1

**Pathway**

- [Neuroactive ligand-receptor interaction](#)

**Disease**

- [Abortion](#)
- [Addison Disease](#)
- [Adenoma](#)
- [Adrenal Gland Neoplasms](#)
- [Adrenal hyperplasia](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Bipolar Disorder](#)
- [Birth Weight](#)
- [Breast cancer](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)

- [Celiac Disease](#)
- [Cerebral Arterial Diseases](#)
- [Cerebral Infarction](#)
- [Chronic Disease](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Cognition](#)
- [Colitis](#)
- [Colorectal Neoplasms](#)
- [Combat Disorders](#)
- [Connective Tissue Diseases](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Crohn Disease](#)
- [Cushing Syndrome](#)
- [Cystic fibrosis](#)
- [Dementia](#)
- [Demyelinating Diseases](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Drug Toxicity](#)
- [Ductus Arteriosus](#)
- [Dyslipidemias](#)

- [Edema](#)
- [Fatigue](#)
- [Fatigue Syndrome](#)
- [Fetal Diseases](#)
- [Fractures](#)
- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)
- [Glucose Intolerance](#)
- [Graves Ophthalmopathy](#)
- [Growth Disorders](#)
- [Guillain-Barre Syndrome](#)
- [HELLP Syndrome](#)
- [Hirsutism](#)
- [Hyperandrogenism](#)
- [Hypercholesterolemia](#)
- [Hyperlipoproteinemia Type II](#)
- [Hypertension](#)
- [Infant](#)
- [Infection](#)
- [Infertility](#)
- [Inflammation](#)
- [Insulin Resistance](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Diseases](#)

- [Lupus Erythematosus](#)
- [Lymphoma](#)
- [Memory](#)
- [Mental Disorders](#)
- [Mental Processes](#)
- [Metabolic Syndrome X](#)
- [Mood Disorders](#)
- [Multiple Organ Failure](#)
- [Multiple Sclerosis](#)
- [Musculoskeletal Diseases](#)
- [Myasthenia Gravis](#)
- [Myocardial Infarction](#)
- [Neoplasms](#)
- [Nephrotic Syndrome](#)
- [Neuropsychological Tests](#)
- [Obesity](#)
- [Ocular Hypertension](#)
- [Osteonecrosis](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Failure](#)
- [Pain](#)
- [Pituitary Neoplasms](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)

- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Proteinuria](#)
- [Pseudomonas Infections](#)
- [Psoriasis](#)
- [Psychiatric Status Rating Scales](#)
- [Psychophysiologic Disorders](#)
- [Psychotic Disorders](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Reaction Time](#)
- [Recognition \(Psychology\)](#)
- [Recurrence](#)
- [Respiratory Distress Syndrome](#)
- [Respiratory Syncytial Virus Infections](#)
- [Retinal Diseases](#)
- [Schizophrenia](#)
- [Sepsis](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Sleep Disorders](#)
- [Somatoform Disorders](#)
- [Stomach Neoplasms](#)
- [Stress](#)
- [Stress Disorders](#)
- [Thrombophilia](#)

- [Tobacco Use Disorder](#)
- [Ventricular Dysfunction](#)
- [Weight Gain](#)
- [Wounds and Injuries](#)