


RecomAb™

TLR7 recombinant monoclonal antibody, clone 6E5

Catalog # RAB04079 Size 100 uL

Applications



Immunohistochemistry

Immunohistochemistry image of TLR7 recombinant monoclonal antibody, clone 6E5 diluted at 1:100 and staining in paraffin-embedded human tonsil tissue performed on a Leica Bond™ system.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human TLR7.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to full length human TLR7.
Reactivity	Human
Form	Liquid
Purification	Affinity chromatography
Isotype	IgG
Recommend Usage	ELISA Immunohistochemistry (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)
Storage Instruction	Store at -20 °C or -80 °C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry

Immunohistochemistry image of TLR7 recombinant monoclonal antibody, clone 6E5 diluted at 1:100 and staining in paraffin-embedded human tonsil tissue performed on a Leica BondTM system.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — TLR7

Entrez GeneID	51284
---------------	-----------------------

Protein Accession#	Q9NYK1
--------------------	------------------------

Gene Name	TLR7
-----------	------

Gene Alias	-
------------	---

Gene Description	toll-like receptor 7
------------------	----------------------

Omim ID	300365
---------	------------------------

Gene Ontology	Hyperlink
---------------	---------------------------

Gene Summary	The protein encoded by this gene is a member of the Toll-like receptor (TLR) family which plays a fundamental role in pathogen recognition and activation of innate immunity. TLRs are highly conserved from Drosophila to humans and share structural and functional similarities. They recognize pathogen-associated molecular patterns (PAMPs) that are expressed on infectious agents, and mediate the production of cytokines necessary for the development of effective immunity. The various TLRs exhibit different patterns of expression. This gene is predominantly expressed in lung, placenta, and spleen, and lies in close proximity to another family member, TLR8, on chromosome X. [provided by RefSeq]
--------------	--

Other Designations	OTTHUMP00000022919
--------------------	--------------------

Pathway

- [Toll-like receptor signaling pathway](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Bronchiolitis](#)
- [Bronchiolitis Obliterans](#)
- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Connective Tissue Diseases](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Fetal Diseases](#)
- [Genetic Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [Hodgkin Disease](#)
- [Infant](#)
- [Infection](#)
- [Inflammation](#)
- [Liver Cirrhosis](#)
- [Lupus Erythematosus](#)

- [Macular Degeneration](#)
- [Melanoma](#)
- [Multiple Sclerosis](#)
- [Musculoskeletal Diseases](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Respiratory Syncytial Virus Infections](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Virus Diseases](#)