


RecomAb™

GAPDH recombinant monoclonal antibody, clone 2C2

Catalog # RAB04178 Size 100 uL

Applications



Western Blot

Western blot analysis of Lane 1: U87 whole cell lysate and Lane 2: mouse brain tissue with GAPDH recombinant monoclonal antibody, clone 2C2 (Cat # RAB04178).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human GAPDH.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human GAPDH .
Theoretical MW (kDa)	Calculated MW: 36 kD
Reactivity	Human, Mouse
Form	Liquid
Purification	Affinity chromatography
Isotype	IgG
Recommend Usage	ELISA Western Blot (1:3000-1:10000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)

Storage Instruction

store at -20 °C or -80 °C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of Lane 1: U87 whole cell lysate and Lane 2: mouse brain tissue with GAPDH recombinant monoclonal antibody, clone 2C2 (Cat # RAB04178).

- Enzyme-linked Immunoabsorbent Assay

Gene Info — GAPDH

Entrez GeneID[2597](#)**Protein Accession#**[P04406](#)**Gene Name**

GAPDH

Gene Alias

G3PD, GAPD, MGC88685

Gene Description

glyceraldehyde-3-phosphate dehydrogenase

Omim ID[138400](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The product of this gene catalyzes an important energy-yielding step in carbohydrate metabolism, the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate in the presence of inorganic phosphate and nicotinamide adenine dinucleotide (NAD). The enzyme exists as a tetramer of identical chains. Many pseudogenes similar to this locus are present in the human genome. [provided by RefSeq]

Other Designations

OTTHUMP00000174431|OTTHUMP00000174432|aging-associated gene 9 protein|glyceraldehyde 3-phosphate dehydrogenase

Pathway

- [Biosynthesis of alkaloids derived from histidine and purine](#)

- [Biosynthesis of alkaloids derived from ornithine](#)
- [Biosynthesis of alkaloids derived from shikimate pathway](#)
- [Biosynthesis of alkaloids derived from terpenoid and polyketide](#)
- [Biosynthesis of phenylpropanoids](#)
- [Biosynthesis of plant hormones](#)
- [Biosynthesis of terpenoids and steroids](#)
- [Glycolysis / Gluconeogenesis](#)
- [Metabolic pathways](#)

Disease

- [Alzheimer disease](#)
- [Cardiovascular Diseases](#)
- [Diabetes Complications](#)
- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Nerve Degeneration](#)
- [Osteoporosis](#)