


RecomAb™

RB1 (phospho S807) recombinant monoclonal antibody, clone 1H3

Catalog # RAB04221 Size 100 uL

Applications



Immunofluorescence

Immunofluorescent staining of K562 cells with RB1 (phospho S807) recombinant monoclonal antibody, clone 1H3 (Cat # RAB04221) (diluted at 1:100). The secondary antibody was Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Counter-stain DAPI was used (blue).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human RB1.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surrounding S807 of human RB1.
Reactivity	Human
Form	Liquid
Purification	Affinity chromatography
Isotype	IgG
Recommend Usage	ELISA Immunofluorescence (1:20-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)

Storage Instruction

store at -20 °C or -80 °C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunofluorescence

Immunofluorescent staining of K562 cells with RB1 (phospho S807) recombinant monoclonal antibody, clone 1H3 (Cat # RAB04221) (diluted at 1:100). The secondary antibody was Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Counter-stain DAPI was used (blue).

- Enzyme-linked Immunoabsorbent Assay

Gene Info — RB1

Entrez GeneID[5925](#)**Protein Accession#**[P06400](#)**Gene Name**

RB1

Gene Alias

OSRC, RB, p105-Rb, pRb, pp110

Gene Description

retinoblastoma 1

Omim ID[109800](#) [180200](#) [259500](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene is a negative regulator of the cell cycle and was the first tumor suppressor gene found. The encoded protein also stabilizes constitutive heterochromatin to maintain the overall chromatin structure. The active, hypophosphorylated form of the protein binds transcription factor E2F1. Defects in this gene are a cause of childhood cancer retinoblastoma (RB), bladder cancer, and osteogenic sarcoma. [provided by RefSeq]

Other Designations

OTTHUMP00000018397|retinoblastoma susceptibility protein|retinoblastoma-associated protein

Pathway

- [Bladder cancer](#)

- [Cell cycle](#)
- [Chronic myeloid leukemia](#)
- [Glioma](#)
- [Melanoma](#)
- [Non-small cell lung cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)

Disease

- [Adenocarcinoma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Chromosomal Instability](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)
- [Colorectal Neoplasms](#)
- [Cystadenocarcinoma](#)
- [Disease Progression](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)

- [Lymphoma](#)
- [Neoplasm Invasiveness](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Retinal Neoplasms](#)
- [Retinoblastoma](#)
- [Tobacco Use Disorder](#)