

RecomAb™

RARB recombinant monoclonal antibody, clone R03-1E1

Catalog # RAB04821 Size 100 uL

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human RARB.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human RXRB.
Theoretical MW (kDa)	Calculated MW: 50 kD
Reactivity	Human
Form	Liquid
Purification	Affinity chromatography
Isotype	IgG
Recommend Usage	Immunocytochemistry (1:50-1:200) Immunofluorescence (1:50-1:200) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-1:100) Immunohistochemistry (Frozen sections) (1:50-1:100) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
- Immunohistochemistry (Frozen sections)

- Immunocytochemistry
- Immunofluorescence

Gene Info — RARB

Entrez GeneID [5915](#)

Protein Accession# [P10826](#)

Gene Name RARB

Gene Alias HAP, NR1B2, RRB2

Gene Description retinoic acid receptor, beta

Omim ID [180220](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes retinoic acid receptor beta, a member of the thyroid-steroid hormone receptor superfamily of nuclear transcriptional regulators. This receptor localizes to the cytoplasm and to subnuclear compartments. It binds retinoic acid, the biologically active form of vitamin A which mediates cellular signalling in embryonic morphogenesis, cell growth and differentiation. It is thought that this protein limits growth of many cell types by regulating gene expression. The gene was first identified in a hepatocellular carcinoma where it flanks a hepatitis B virus integration site. The gene expresses at least two transcript variants; one additional transcript has been described, but its full length nature has not been determined. [provided by RefSeq]

Other Designations HBV-activated protein|RAR-epsilon|hepatitis B virus activated protein|retinoic acid receptor beta 2|retinoic acid receptor beta 4|retinoic acid receptor beta 5|retinoic acid receptor, beta polypeptide

Pathway

- [Non-small cell lung cancer](#)
- [Pathways in cancer](#)
- [Small cell lung cancer](#)

Disease

- [Alcoholism](#)

- [Alzheimer disease](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Creutzfeldt-Jakob Syndrome](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Kuru](#)
- [Liver Cirrhosis](#)
- [Mental Disorders](#)
- [Metabolic Syndrome X](#)
- [Myopia](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Schizophrenia](#)
- [Tobacco Use Disorder](#)