

RecomAb™

BIN1 recombinant monoclonal antibody, clone R04-8D7

Catalog # RAB06016 Size 100 uL

| Specification | |
|----------------------|---|
| Product Description | Rabbit recombinant monoclonal antibody raised against human BIN1. |
| Antibody Species | Rabbit |
| Immunogen | Original antibody is raised against recombinant protein corresponding to human BIN1. |
| Theoretical MW (kDa) | Calculated MW: 65 kD |
| Reactivity | Human |
| Form | Liquid |
| Purification | Affinity chromatography |
| Isotype | lgG |
| Recommend Usage | Immunofluorescence (1/50-1/200) Immunohistochemistry (1/50-1/100) Immunoprecipitation (1/20) Western Blot (1/500-1/1000) The optimal working dilution should be determined by the end user. |
| Storage Buffer | In 50mM Tris-Glycine, 150mM NaCl, pH 7.4 (40% glycerol, 0.05% BSA and 0.01% Sodium azide) |
| Storage Instruction | Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |
| | |

Applications

Western Blot



- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation

| Gene Info — BIN1 | |
|--------------------|---|
| Entrez GenelD | <u>274</u> |
| Protein Accession# | <u>000499</u> |
| Gene Name | BIN1 |
| Gene Alias | AMPH2, AMPHL, DKFZp547F068, MGC10367, SH3P9 |
| Gene Description | bridging integrator 1 |
| Omim ID | <u>255200</u> <u>601248</u> |
| Gene Ontology | <u>Hyperlink</u> |
| Gene Summary | This gene encodes several isoforms of a nucleocytoplasmic adaptor protein, one of which was initially identified as a MYC-interacting protein with features of a tumor suppressor. Isoforms that are expressed in the central nervous system may be involved in synaptic vesicle endocytosis and may interact with dynanim, synaptojanin, endophilin, and clathrin. Isoforms that are expressed in muscle and ubiquitously expressed isoforms localize to the cytoplasm and nucleus and activate a casp ase-independent apoptotic process. Studies in mouse suggest that this gene plays an important role in cardiac muscle development. Alternate splicing of the gene results in ten transcript variants encoding different isoforms. Aberrant splice variants expressed in tumor cell lines have also been described. [provided by RefSeq |
| Other Designations | OTTHUMP00000162179 OTTHUMP00000162183 amphiphysin II amphiphysin-like box dependa nt MYC interacting protein 1 |

Disease

- Alzheimer Disease
- Cerebral Hemorrhage
- Cognition Disorders
- Genetic Predisposition to Disease



- Hypertension
- Intracranial Hemorrhages
- Neuropsychological Tests
- Stroke
- Subarachnoid Hemorrhage