


RecomAb™

HLA-G recombinant monoclonal antibody, clone 17A5

Catalog # RAB07711 Size 100 uL

Applications



Flow Cytometry

Overlay Peak curve showing U937 cells stained with HLA-G recombinant monoclonal antibody, clone 17A5 (red line) at 1:50.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human HLA-G.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human HLA-G.
Reactivity	Human
Form	Liquid
Purification	Affinity chromatography purification
Isotype	IgG
Recommend Usage	ELISA Flow Cytometry(1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150 mM NaCl, 0.02% sodium azide and 50% glycerol)

Storage Instruction

Store at -20°C or -80°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Flow Cytometry

Overlay Peak curve showing U937 cells stained with HLA-G recombinant monoclonal antibody, clone 17A5 (red line) at 1:50.

Gene Info — HLA-G

Entrez GeneID

[3135](#)

Protein Accession#

[P17693](#)

Gene Name

HLA-G

Gene Alias

MHC-G

Gene Description

major histocompatibility complex, class I, G

Omim ID

[142871 600807](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

HLA-G belongs to the HLA class I heavy chain paralogues. This class I molecule is a heterodimer consisting of a heavy chain and a light chain (beta-2 microglobulin). The heavy chain is anchored in the membrane. HLA-G is expressed on fetal derived placental cells. The heavy chain is approximately 45 kDa and its gene contains 8 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the alpha1 and alpha2 domain, which both bind the peptide, exon 4 encodes the alpha3 domain, exon 5 encodes the transmembrane region, and exon 6 encodes the cytoplasmic tail. [provided by RefSeq]

Other Designations

HLA class I molecule|HLA-G histocompatibility antigen, class I, G|MHC class I antigen|OTTHUMP00000039485|b2 microglobulin

Pathway

- [Allograft rejection](#)

- [Antigen processing and presentation](#)
- [Autoimmune thyroid disease](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Endocytosis](#)
- [Graft-versus-host disease](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Type I diabetes mellitus](#)

Disease

- [Abortion](#)
- [Anemia](#)
- [Arthritis](#)
- [Asthma](#)
- [Autoimmune Diseases](#)
- [Behcet Syndrome](#)
- [Birth Weight](#)
- [Bronchial Hyperreactivity](#)
- [Carcinoma](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Cervical Intraepithelial Neoplasia](#)
- [Cholestasis](#)
- [Chorioamnionitis](#)
- [Colitis](#)
- [Coronary Aneurysm](#)

- [Crohn Disease](#)
- [Cytomegalovirus Infections](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Ductus Arteriosus](#)
- [Eclampsia](#)
- [Edema](#)
- [Fetal Diseases](#)
- [Fetal Membranes](#)
- [Gastrointestinal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Hepatitis](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [Hypersensitivity](#)
- [Infant](#)
- [Infection](#)
- [Infertility](#)
- [Lupus Erythematosus](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Sclerosis](#)
- [Obstetric Labor](#)
- [Papillomavirus Infections](#)
- [Photosensitivity Disorders](#)

- [Pneumonia](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prenatal Exposure Delayed Effects](#)
- [Psoriasis](#)
- [Purpura](#)
- [Sarcoidosis](#)
- [Thalassemia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)