

TAF7 monoclonal antibody (M02), clone 3G6

Catalog # : H00006879-M02


規格 : [100 ug]

[List All](#)

Specification

Product Description:	Mouse monoclonal antibody raised against a partial recombinant TAF7.
Immunogen:	TAF7 (AAH32737, 130 a.a. ~ 224 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence:	FIWNHGITLPLKNVRKRRFRKTAKKKYIESPDVEKEVKRLLSTDAEAVSTR WEIIAEDETKEAENQGLDISSPGMSGHRQGHDSLEHDELREIFN
Host:	Mouse
Reactivity:	Human
Isotype:	IgG2a Kappa

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (36.08 KDa) .

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)


Datasheet: [Download](#)

Applications

Western Blot (Cell lysate)


Application Image

Western Blot (Cell lysate)




Western Blot (Recombinant protein)

Sandwich ELISA (Recombinant protein)



ELISA




TAF7 monoclonal antibody (M02), clone 3G6 Western Blot analysis of TAF7 expression in HeLa S3 NE (Cat # L013V3).

[Protocol Download](#)

Western Blot (Recombinant protein)

[Protocol Download](#)

Sandwich ELISA (Recombinant protein)



Detection limit for recombinant GST tagged TAF7 is approximately 0.1ng/ml as a capture antibody.

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [6879](#)

GeneBank [BC032737](#)

Accession#:

Protein [AAH32737](#)

Accession#:

Gene Name: TAF7

Gene Alias: TAF2F, TAFII55

Gene Description: TAF7 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 55kDa

Omim ID: [600573](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The intronless gene for this transcription coactivator is located between the protocadherin beta and gamma gene clusters on chromosome 5. The protein encoded by this gene is a component of the TFIID protein complex, a complex which binds to the TATA box in class II promoters and recruits RNA polymerase II and other factors. This particular subunit interacts with the largest TFIID subunit, as well as multiple transcription activators. The protein is required for transcription by promoters targeted by RNA polymerase II. [provided by RefSeq]

Other OTTHUMP00000160028, TAF7 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 55 kD, TATA box binding protein (TBP)-associated factor, RNA polymerase II, F, 55kD, TATA box-binding protein-associated factor 2F, TBP-associated factor F, transcrip

Gene Pathway

Basal transcription factors

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.