


PRKCD & FYN Protein Protein Interaction Antibody Pair

Catalog # DI0211

Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between PRKCD and FYN. HeLa cells were stained with anti-PRKCD rabbit purified polyclonal antibody 1:1200 and anti-FYN mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification

Product Description

This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the PRKCD protein, and the other against the FYN protein for use in [in situ Proximity Ligation Assay](#). [See Publication Reference below](#).

Reactivity

Human

Quality Control Testing

Protein protein interaction immunofluorescence result.
Representative image of Proximity Ligation Assay of protein-protein interactions between PRKCD and FYN. HeLa cells were stained with anti-PRKCD rabbit purified polyclonal antibody 1:1200 and anti-FYN mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Supplied Product

Antibody pair set content:
1. PRKCD rabbit purified polyclonal antibody (100 ug)
2. FYN mouse monoclonal antibody (40 ug)
*Reagents are sufficient for at least 30-50 assays using recommended protocols.

Storage Instruction

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze-thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- *In situ* Proximity Ligation Assay (Cell)

Gene Info — FYN

Entrez GeneID	2534
Gene Name	FYN
Gene Alias	MGC45350, SLK, SYN
Gene Description	FYN oncogene related to SRC, FGR, YES
Omim ID	137025
Gene Ontology	Hyperlink
Gene Summary	This gene is a member of the protein-tyrosine kinase oncogene family. It encodes a membrane-associated tyrosine kinase that has been implicated in the control of cell growth. The protein associates with the p85 subunit of phosphatidylinositol 3-kinase and interacts with the fyn-binding protein. Alternatively spliced transcript variants encoding distinct isoforms exist. [provided by RefSeq]
Other Designations	OKT3-induced calcium influx regulator OTTHUMP00000017914 OTTHUMP00000017915 OTTHUMP00000017917 c-syn protooncogene protein-tyrosine kinase fyn proto-oncogene tyrosine-protein kinase fyn src-like kinase src/yes-related novel tyrosine kinase p59fyn(T)

Gene Info — PRKCD

Entrez GeneID	5580
Gene Name	PRKCD
Gene Alias	MAY1, MGC49908, PKCD, nPKC-delta
Gene Description	protein kinase C, delta
Omim ID	176977
Gene Ontology	Hyperlink

Gene Summary

Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play distinct roles in cells. The protein encoded by this gene is one of the PKC family members. Studies both in human and mice demonstrate that this kinase is involved in B cell signaling and in the regulation of growth, apoptosis, and differentiation of a variety of cell types. Alternatively spliced transcript variants encoding the same protein have been observed. [provided by RefSeq]

Other Designations

protein kinase C delta VIII

Pathway

- [Adherens junction](#)
- [Axon guidance](#)
- [Chemokine signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [GnRH signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Neurotrophin signaling pathway](#)
- [Pathogenic Escherichia coli infection - EHEC](#)
- [Prion diseases](#)
- [T cell receptor signaling pathway](#)
- [Tight junction](#)
- [Type II diabetes mellitus](#)
- [Vascular smooth muscle contraction](#)

Disease

- [Adenocarcinoma](#)
- [Alcoholism](#)
- [Alzheimer disease](#)
- [Asthma](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Diabetes Mellitus](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [HIV Infections](#)
- [Hypertension](#)
- [Lupus Erythematosus](#)
- [Neuropsychological Tests](#)
- [Pancreatic Neoplasms](#)
- [Parkinson disease](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Tobacco Use Disorder](#)

- [Tooth Abnormalities](#)