


PIK3R1 & SHC1 Protein Protein Interaction Antibody Pair


Catalog # DI0393 Size 1 Set

Applications



In situ Proximity Ligation Assay (Cell)

Representative image of Proximity Ligation Assay of protein-protein interactions between PIK3R1 and SHC1. Huh7 cells were stained with anti-PIK3R1 rabbit purified polyclonal antibody 1:1200 and anti-SHC1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).



Representative image of Proximity Ligation Assay of protein-protein interactions between PIK3R1 and SHC1. HeLa cells were stained with anti-PIK3R1 rabbit purified polyclonal antibody 1:1200 and anti-SHC1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification

Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the PIK3R1 protein, and the other against the SHC1 protein for use in in situ Proximity Ligation Assay . See Publication Reference below.
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between PIK3R1 and SHC1. HeLa cells were stained with anti-PIK3R1 rabbit purified polyclonal antibody 1:1200 and anti-SHC1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Supplied Product

Antibody pair set content:

1. PIK3R1 rabbit purified polyclonal antibody (100 ug)
2. SHC1 mouse monoclonal antibody (40 ug)

*Reagents are sufficient for at least 30-50 assays using recommended protocols.

Storage Instruction

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- *In situ* Proximity Ligation Assay (Cell)

Representative image of Proximity Ligation Assay of protein-protein interactions between PIK3R1 and SHC1. Huh7 cells were stained with anti-PIK3R1 rabbit purified polyclonal antibody 1:1200 and anti-SHC1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Info — PIK3R1

Entrez GenelD	5295
Gene Name	PIK3R1
Gene Alias	GRB1, p85, p85-ALPHA
Gene Description	phosphoinositide-3-kinase, regulatory subunit 1 (alpha)
Omim ID	171833
Gene Ontology	Hyperlink
Gene Summary	Phosphatidylinositol 3-kinase phosphorylates the inositol ring of phosphatidylinositol at the 3-prime position. The enzyme comprises a 110 kD catalytic subunit and a regulatory subunit of either 85, 55, or 50 kD. This gene encodes the 85 kD regulatory subunit. Phosphatidylinositol 3-kinase plays an important role in the metabolic actions of insulin, and a mutation in this gene has been associated with insulin resistance. Alternative splicing of this gene results in three transcript variants encoding different isoforms. [provided by RefSeq]
Other Designations	phosphatidylinositol 3-kinase, regulatory subunit, polypeptide 1 (p85 alpha) phosphatidylinositol 3-kinase, regulatory, 1 phosphatidylinositol 3-kinase-associated p-85 alpha phosphoinositide-3-kinase, regulatory subunit 1 (p85 alpha) phosphoinositide-3-ki

Gene Info — SHC1

Entrez GenelD	6464
---------------	----------------------

Gene Name	SHC1
Gene Alias	FLJ26504, SHC, SHCA
Gene Description	SHC (Src homology 2 domain containing) transforming protein 1
Omim ID	600560
Gene Ontology	Hyperlink
Other Designations	OTTHUMP00000035409 OTTHUMP00000035471 SHC (Src homology 2 domain-containing) transforming protein 1 SHC-transforming protein 1

Pathway

- [Acute myeloid leukemia](#)
- [Apoptosis](#)
- [B cell receptor signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Chronic myeloid leukemia](#)
- [Chronic myeloid leukemia](#)
- [Colorectal cancer](#)
- [Endometrial cancer](#)
- [ErbB signaling pathway](#)
- [ErbB signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [Focal adhesion](#)
- [Glioma](#)
- [Glioma](#)

- [Insulin signaling pathway](#)
- [Insulin signaling pathway](#)
- [Jak-STAT signaling pathway](#)
- [Leukocyte transendothelial migration](#)
- [Melanoma](#)
- [mTOR signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Neurotrophin signaling pathway](#)
- [Neurotrophin signaling pathway](#)
- [Non-small cell lung cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Phosphatidylinositol signaling system](#)
- [Prostate cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Renal cell carcinoma](#)
- [Small cell lung cancer](#)
- [T cell receptor signaling pathway](#)
- [Toll-like receptor signaling pathway](#)
- [Type II diabetes mellitus](#)
- [VEGF signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Body Weight](#)

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Cardiovascular Diseases](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Diabetes Mellitus](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [Glucose Intolerance](#)
- [HIV Infections](#)
- [Hypercholesterolemia](#)
- [Hypertension](#)
- [Insulin Resistance](#)
- [Kidney Failure](#)
- [Neoplasms](#)
- [Obesity](#)
- [Obesity](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Periodontitis](#)
- [Polycystic Ovary Syndrome](#)
- [Prostatic Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Tobacco Use Disorder](#)