


MAP3K7 & RUVBL1 Protein Protein Interaction Antibody Pair

Catalog # DI0428 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between MAP3K7 and RUVBL1. HeLa cells were stained with anti-MAP3K7 rabbit purified polyclonal antibody 1:1200 and anti-RUVBL1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification	
Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-prot ein interaction, one against the MAP3K7 protein, and the other against the RUVBL1 protein for use in <i>in situ</i> Proximity Ligation Assay. See Publication Reference below.
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between MAP3K7 and RUVBL1. HeLa cells were stained with anti-MAP3K7 rabbit purified polyclonal antibody 1:1200 and anti-RUVBL1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein -protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) d ownload from The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. MAP3K7 rabbit purified polyclonal antibody (100 ug) 2. RUVBL1 mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications



• In situ Proximity Ligation Assay (Cell)

Gene Info — MAP3K7	
Entrez GenelD	<u>6885</u>
Gene Name	MAP3K7
Gene Alias	TAK1, TGF1a
Gene Description	mitogen-activated protein kinase kinase kinase 7
Omim ID	<u>602614</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the serine/threonine protein kinase family. This kinase mediates the signaling transduction induced by TGF beta and morphogenetic protein (BM P), and controls a variety of cell functions including transcription regulation and apoptosis. In response to IL-1, this protein forms a kinase complex including TRAF6, MAP3K7P1/TAB1 and MAP3 K7P2/TAB2; this complex is required for the activation of nuclear factor kappa B. This kinase can also activate MAPK8/JNK, MAP2K4/MKK4, and thus plays a role in the cell response to environm ental stresses. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq
Other Designations	OTTHUMP00000016870 OTTHUMP00000016871 OTTHUMP00000016872 OTTHUMP000000 16873 TGF-beta activated kinase 1 transforming growth factor-beta-activated kinase 1

Gene Info — RUVBL1	
Entrez GeneID	<u>8607</u>
Gene Name	RUVBL1
Gene Alias	ECP54, INO80H, NMP238, PONTIN, Pontin52, RVB1, TIH1, TIP49, TIP49A
Gene Description	RuvB-like 1 (E. coli)
Omim ID	603449
Gene Ontology	<u>Hyperlink</u>
Other Designations	INO80 complex subunit H RuvB (E coli homolog)-like 1 RuvB-like 1 TATA binding protein interacting protein 49 kDa



Pathway

- Adherens junction
- MAPK signaling pathway
- T cell receptor signaling pathway
- Toll-like receptor signaling pathway
- Wnt signaling pathway
- Wnt signaling pathway

Disease

- Arthritis
- Crohn Disease
- Genetic Predisposition to Disease
- Inflammatory Bowel Diseases
- Narcolepsy
- Ovarian cancer
- Ovarian Neoplasms
- Retinoblastoma
- Tobacco Use Disorder