


GSTP1 & MAPK8 Protein Protein Interaction Antibody Pair


Catalog # DI0457 Size 1 Set

Applications




In situ Proximity Ligation Assay (Cell)

Representative image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. A-549 cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:100 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).




In situ Proximity Ligation Assay (Cell)

Representative image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. HT-29 cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:100 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).



In situ Proximity Ligation Assay (Cell)

Confocal microscopy image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. HT-29 cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:100 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).



Representative image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. HeLa cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:1200 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification

Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the GSTP1 protein, and the other against the MAPK8 protein for use in <u>In situ</u> Proximity Ligation Assay . See Publication Reference below.
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. HeLa cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:1200 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. GSTP1 rabbit purified polyclonal antibody (100 ug) 2. MAPK8 mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- *In situ* Proximity Ligation Assay (Cell)

Representative image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. A-549 cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:100 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

- *In situ* Proximity Ligation Assay (Cell)

Representative image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. HT-29 cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:100 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

- *In situ* Proximity Ligation Assay (Cell)

Confocal microscopy image of Proximity Ligation Assay of protein-protein interactions between GSTP1 and MAPK8. HT-29 cells were stained with anti-GSTP1 rabbit purified polyclonal antibody 1:100 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Info — GSTP1

Entrez GenelD	2950
Gene Name	GSTP1
Gene Alias	DFN7, FAEES3, GST3, PI
Gene Description	glutathione S-transferase pi 1
Omim ID	134660
Gene Ontology	Hyperlink
Gene Summary	Glutathione S-transferases (GSTs) are a family of enzymes that play an important role in detoxification by catalyzing the conjugation of many hydrophobic and electrophilic compounds with reduced glutathione. Based on their biochemical, immunologic, and structural properties, the soluble GSTs are categorized into 4 main classes: alpha, mu, pi, and theta. This GST family member is a polymorphic gene encoding active, functionally different GSTP1 variant proteins that are thought to function in xenobiotic metabolism and play a role in susceptibility to cancer, and other diseases. [provided by RefSeq]
Other Designations	OTTHUMP00000174659 deafness, X-linked 7[fatty acid ethyl ester synthase III]glutathione transferase

Gene Info — MAPK8

Entrez GenelD	5599
Gene Name	MAPK8
Gene Alias	JNK, JNK1, JNK1A2, JNK2B1/2, PRKM8, SAPK1
Gene Description	mitogen-activated protein kinase 8
Omim ID	601158
Gene Ontology	Hyperlink

Gene Summary

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrome c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq]

Other Designations

JNK1 alpha protein kinase|JNK1 beta protein kinase|JUN N-terminal kinase|OTTHUMP00000019552|OTTHUMP0000019555|OTTHUMP0000019556|OTTHUMP0000019558|c-Jun N-terminal kinase 1|mitogen-activated protein kinase 8 isoform JNK1 alpha1|mitogen-activated protein

Pathway

- [Adipocytokine signaling pathway](#)
- [Colorectal cancer](#)
- [Drug metabolism - cytochrome P450](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [ErbB signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Focal adhesion](#)
- [Glutathione metabolism](#)
- [GnRH signaling pathway](#)
- [Insulin signaling pathway](#)
- [MAPK signaling pathway](#)
- [Metabolism of xenobiotics by cytochrome P450](#)
- [Neurotrophin signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Pathways in cancer](#)

- [Prostate cancer](#)
- [Toll-like receptor signaling pathway](#)
- [Type II diabetes mellitus](#)
- [Wnt signaling pathway](#)

Disease

- [Abortion](#)
- [Absenteeism](#)
- [Acquired Immunodeficiency Syndrome](#)
- [Acute Disease](#)
- [Acute Lung Injury](#)
- [Adenocarcinoma](#)
- [Adenoma](#)
- [Adenomatous Polyposis Coli](#)
- [Airway Remodeling](#)
- [Alcoholism](#)
- [alpha 1-Antitrypsin Deficiency](#)
- [Alpha-1-antitrypsin deficiency](#)
- [Altitude Sickness](#)
- [Alzheimer disease](#)
- [Amphetamine-Related Disorders](#)
- [Anemia](#)
- [Aneuploidy](#)
- [Anoxia](#)
- [Arsenic Poisoning](#)
- [Arthritis](#)

- [Asbestosis](#)
- [Ascorbic Acid Deficiency](#)
- [Asthma](#)
- [Astrocytoma](#)
- [Atherosclerosis](#)
- [Attention](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Auditory Threshold](#)
- [Autistic Disorder](#)
- [Balkan Nephropathy](#)
- [Barrett Esophagus](#)
- [Birth Weight](#)
- [Bone Marrow Diseases](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Breast Neoplasms](#)
- [Bronchial Hyperreactivity](#)
- [Bronchitis](#)
- [Bronchopulmonary Dysplasia](#)
- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cardiovascular Diseases](#)
- [Carotid Artery Diseases](#)

- [Cell Transformation](#)
- [Central Nervous System Neoplasms](#)
- [Cerebrovascular Accident](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)
- [Chromosome Disorders](#)
- [Chronic Disease](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Cocaine-Related Disorders](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Colitis](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Colorectal Neoplasms](#)
- [Congenital Abnormalities](#)
- [Connective Tissue Diseases](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Crohn Disease](#)
- [Cystic fibrosis](#)
- [Delayed Graft Function](#)
- [Dermatitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)

- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [DNA Damage](#)
- [Down Syndrome](#)
- [Drug Eruptions](#)
- [Drug Hypersensitivity](#)
- [Drug Toxicity](#)
- [Drug-Induced Liver Injury](#)
- [Duodenal Neoplasms](#)
- [Dyskinesia](#)
- [Dysmenorrhea](#)
- [Dyspepsia](#)
- [Edema](#)
- [Edema](#)
- [Ehlers-Danlos Syndrome](#)
- [Emphysema](#)
- [Endometrial Neoplasms](#)
- [Endometriosis](#)
- [Ependymoma](#)
- [Esophageal Atresia](#)
- [Esophageal Neoplasms](#)
- [Esophagitis](#)

- [Essential tremor](#)
- [Exfoliation Syndrome](#)
- [Eye Diseases](#)
- [Fanconi Anemia](#)
- [Fatty Liver](#)
- [Fetal Diseases](#)
- [Fibrocystic Breast Disease](#)
- [Food Hypersensitivity](#)
- [Gallbladder Neoplasms](#)
- [Gallstones](#)
- [Gastritis](#)
- [Gastroesophageal Reflux](#)
- [Gastrointestinal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [Genital Diseases](#)
- [Germinoma](#)
- [Glaucoma](#)
- [Glioma](#)
- [Graft vs Host Disease](#)
- [Graves Disease](#)
- [Hamartoma](#)
- [Head and Neck Neoplasms](#)
- [Hearing Loss](#)
- [Helicobacter Infections](#)

- [Hematologic Diseases](#)
- [Hematologic Neoplasms](#)

- [Hemochromatosis](#)

- [Hemoglobinopathies](#)

- [Hepatic Veno-Occlusive Disease](#)

- [Hepatitis](#)

- [Hepatitis B](#)

- [Hepatitis C](#)

- [Hereditary hemochromatosis](#)

- [HIV Infections](#)

- [HIV Seropositivity](#)

- [Hodgkin Disease](#)

- [Hypercapnia](#)

- [Hypersensitivity](#)

- [Hypertension](#)

- [Infant](#)

- [Infection](#)

- [Infertility](#)

- [Inflammation](#)

- [Inflammatory Bowel Diseases](#)

- [Keratosis](#)

- [Kidney Diseases](#)

- [Kidney Failure](#)

- [Kidney Neoplasms](#)

- [Laryngeal Neoplasms](#)

- [Leukemia](#)

- [Leukopenia](#)

- [Leukoplakia](#)
- [Liver Cirrhosis](#)
- [Liver Diseases](#)
- [Liver Neoplasms](#)
- [Lung carcinoma](#)
- [Lung Diseases](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Macular Degeneration](#)
- [Malaria](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Meningioma](#)
- [Mental Disorders](#)
- [Mesothelioma](#)
- [Metabolic Syndrome X](#)
- [Metaplasia](#)
- [Micronuclei](#)
- [Migraine Disorders](#)
- [Motor Neuron Disease](#)
- [Mouth Neoplasms](#)
- [Multiple Chemical Sensitivity](#)
- [Multiple Myeloma](#)
- [Musculoskeletal Diseases](#)

- [Myelodysplastic Syndromes](#)
- [Myocardial Infarction](#)
- [Nasal Polyps](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neoplastic Syndromes](#)
- [Nephrotic Syndrome](#)
- [Nervous System Diseases](#)
- [Neuroblastoma](#)
- [Neuroma](#)
- [Neuropsychological Tests](#)
- [Neurotoxicity Syndromes](#)
- [Neutropenia](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Occupational Diseases](#)
- [Oligodendrogloma](#)
- [Oropharyngeal Neoplasms](#)
- [Osteoarthritis](#)
- [Osteoporosis](#)
- [Osteosarcoma](#)
- [Otorhinolaryngologic Neoplasms](#)
- [Ovarian cancer](#)
- [Ovarian Failure](#)

- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pancreatitis](#)
- [Papillomavirus Infections](#)
- [Parkinson disease](#)
- [Peptic Ulcer](#)
- [Peripheral Nervous System Diseases](#)
- [Pharyngeal Neoplasms](#)
- [Photosensitivity Disorders](#)
- [Pleural Neoplasms](#)
- [Pneumoconiosis](#)
- [Pneumonia](#)
- [Poisoning](#)
- [Postoperative Complications](#)
- [Precancerous Conditions](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prenatal Exposure Delayed Effects](#)
- [Presbycusis](#)
- [Prostate cancer](#)
- [Prostatic Hyperplasia](#)
- [Prostatic Neoplasms](#)
- [Protein-Energy Malnutrition](#)
- [Pseudomonas Infections](#)

- [Psychiatric Status Rating Scales](#)
- [Psychometrics](#)
- [Psychoses](#)
- [Pulmonary Disease](#)
- [Pulmonary Emphysema](#)
- [Reaction Time](#)
- [Rectal Neoplasms](#)
- [Recurrence](#)
- [Respiration Disorders](#)
- [Respiratory Distress Syndrome](#)
- [Respiratory Hypersensitivity](#)
- [Respiratory Sounds](#)
- [Respiratory Tract Diseases](#)
- [Respiratory Tract Infections](#)
- [Rhinitis](#)
- [Rosacea](#)
- [Roseolovirus Infections](#)
- [Sarcoidosis](#)
- [Schizophrenia](#)
- [Sensation Disorders](#)

- [Silicosis](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Stomach Neoplasms](#)
- [Substance-Related Disorders](#)

- [Testicular Neoplasms](#)
- [Thrombocytopenia](#)
- [Thrombophilia](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Translocation](#)
- [Trisomy](#)
- [Urinary Bladder Neoplasms](#)
- [Urologic Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Vestibular Diseases](#)