
DNMT1(phospho Y399) & DNMT1 Protein Phosphorylation Antibody Pair

Catalog # DP0002 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein phosphorylation. HeLa cells were stained with dual recognition antibody pair set, rabbit polyclonal antibody 1:1200 and mouse monoclonal antibody 1:50. Each red dot represents one single phosphorylated protein. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

| Specification | |
|-------------------------|--|
| Product Description | This protein phosphorylation antibody pair set comes with two antibodies, one against the DNMT1 protein, and the other against the specific Y399 phosphorylated site of DNMT1 for use in <i>in situ</i> Proximing ity Ligation Assay. See Publication Reference below. |
| Reactivity | Human |
| Quality Control Testing | Dual recognition immunofluorescence result. |
| | Representative image of Proximity Ligation Assay of protein phosphorylation. HeLa cells were stained d with dual recognition antibody pair set, rabbit polyclonal antibody 1:1200 and mouse monoclonal a ntibody 1:50. Each red dot represents one single phosphorylated protein. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University. |
| Supplied Product | Antibody pair set content: |
| | 1. Phospho-DNMT1 Y399 rabbit polyclonal antibody (20 ul) |
| | In PBS (0.09% (w/v) sodium azide) |
| | 2. DNMT1 mouse monoclonal antibody (40 ug) |
| | In 1x PBS, pH 7.2 |
| | *Reagents are sufficient for at least 30-50 assays using recommended protocols. |
| Storage Instruction | Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha |
| | w cycle. Reagents should be returned to -20°C storage immediately after use. |

Applications

• In situ Proximity Ligation Assay (Cell)

| Gene Info — DNMT1 | |
|--------------------|--|
| Entrez GenelD | <u>1786</u> |
| Gene Name | DNMT1 |
| Gene Alias | AIM, CXXC9, DNMT, FLJ16293, MCMT, MGC104992 |
| Gene Description | DNA (cytosine-5-)-methyltransferase 1 |
| Omim ID | <u>126375</u> |
| Gene Ontology | Hyperlink |
| Gene Summary | DNA (cytosine-5-)-methyltransferase 1 has a role in the establishment and regulation of tissue-sp ecific patterns of methylated cytosine residues. Aberrant methylation patterns are associated with certain human tumors and developmental abnormalities. Two transcript variants encoding differen t isoforms have been found for this gene. [provided by RefSeq |
| Other Designations | CXXC finger protein 9 DNA methyltransferase 1 |

Pathway

- Cysteine and methionine metabolism
- Metabolic pathways

Disease

- <u>Arsenic Poisoning</u>
- Breast cancer
- Breast Neoplasms
- <u>Carcinoma</u>
- <u>Colorectal Neoplasms</u>

😵 Abnova

- <u>Cues</u>
- DNA Damage
- Genetic Predisposition to Disease
- Lupus Erythematosus
- <u>Neoplasms</u>
- Ovarian cancer
- Ovarian Neoplasms
- Satiety Response
- Spinal Dysraphism
- Stomach Neoplasms

Product Information