


FGF19/CEN11p FISH Probe

Catalog # FG0125


Size 200 uL, 100 uL

Applications



Fluorescent *In Situ* Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

Human breast (FFPE) stained with FGF19/CEN11p FISH Probe. Human breast showed no FGF19 amplification.



Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification

Product Description

Labeled FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. ([Technology](#)).

Probe 1	Name: FGF19 Size: Approximately 170kb Fluorophore: Texas Red Location: 11q13.1
Probe 2	Name: CEN11p Size: Approximately 630kb Fluorophore: FITC Location: 11p11.12
Probe Gap	The gap between two probes is approximately 21,900 kb
Origin	Human
Source	Genomic DNA
Reactivity	Human
Form	Liquid
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The left image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Product	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.

Applications

- Fluorescent In Situ Hybridization (Cell)

[Protocol Download](#)

- Fluorescent *In Situ* Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

Human breast (FFPE) stained with FGF19/CEN11p FISH Probe. Human breast showed no FGF19 amplification.

[Protocol Download](#)

Gene Info — FGF19

Entrez GeneID [9965](#)

Gene Name FGF19

Gene Alias -

Gene Description fibroblast growth factor 19

Omim ID [603891](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes including embryonic development cell growth, morphogenesis, tissue repair, tumor growth and invasion. This growth factor is a high affinity, heparin dependent ligand for FGFFR4. Expression of this gene was detected only in fetal but not adult brain tissue. Synergistic interaction of the chick homolog and Wnt-8c has been shown to be required for initiation of inner ear development. [provided by RefSeq]

Other Designations -

Publication Reference

- [FGF19 genetic amplification as a potential therapeutic target in lung squamous cell carcinomas.](#)

Zhang X, Kong M, Zhang Z, Xu S, Yan F, Wei L, Zhou J.

Thoracic Cancer 2017 Sep; 8(6):655.

Application: FISH, Human, Human lung squamous cell carcinoma

Pathway

- [MAPK signaling pathway](#)
- [Melanoma](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)