

GLI1 Split FISH Probe

Catalog # FS0098 Size 100 uL

Applications





Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification

Product Description	Labeled FISH probes for identification of gene split using Fluorescent In Situ Hybridization Technique. (Technology).
Probe 1	**Name:** GLI1 **Size:** Approximately 620kb **Fluorophore:** Texas Red **Location:** 12q13.3
Probe 2	**Name:** GLI1 **Size:** Approximately 630kb **Fluorophore:** FITC **Location:** 12q13.3
Origin	Human

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Source	Genomic DNA
Reactivity	Human
Form	Liquid
Notice	We **strongly recommend** the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulatory Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The l eft image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Products	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.
Self-Attestation	Abnova self-attests to comply with the U.S. Framework for Nucleic Acid Synthesis Screening

Applications

- Fluorescent In Situ Hybridization (Cell)

  Protocol Download

Gene Info — GLI1

Entrez GeneID	2735
Gene Name	GLI1
Gene Alias	GLI
Gene Description	glioma-associated oncogene homolog 1 (zinc finger protein)
Omim ID	165220
Gene Ontology	Hyperlink

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Summary	This gene encodes a member of the Kruppel family of zinc finger proteins. The encoded transcription factor is activated by the sonic hedgehog signal transduction cascade and regulates stem cell proliferation. The activity and nuclear localization of this protein is negatively regulated by p53 in an inhibitory loop. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations	glioma-associated oncogene homolog (zinc finger protein)|glioma-associated oncogene homolog 1

Pathway

- Basal cell carcinoma
- Hedgehog signaling pathway
- Pathways in cancer

Disease

- Carcinoma
- Genetic Predisposition to Disease
- Heart Septal Defects
- Inflammation
- Inflammatory Bowel Diseases
- Kidney Failure
- Skin Neoplasms

Copyright © 2023 Abnova Corporation. All Rights Reserved.