

ACADS rabbit monoclonal antibody

Catalog # H00000035-K Size 100 ug x up to 3

| Specification | |
|-------------------------|---|
| Product Description | Rabbit monoclonal antibody raised against a human ACADS peptide using ARM Technology. |
| Immunogen | A synthetic peptide of human ACADS is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. |
| Host | Rabbit |
| Library Construction | Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>). |
| Expression | Overexpression vector and transfection into 293H cell line. |
| Reactivity | Human |
| Purification | Protein A |
| Isotype | lgG |
| Quality Control Testing | Antibody reactive against human ACADS peptide by ELISA and mammalian transfected lysate by W estern Blot. |
| Storage Buffer | In 1x PBS, pH 7.4 |
| Storage Instruction | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |
| Deliverable | Up to three rabbit lgG clones of 100 ug each will be delivered to customer. |
| Note | Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request. |

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

| Gene Info — ACADS | |
|---------------------|---|
| Entrez GenelD | <u>35</u> |
| GeneBank Accession# | <u>ACADS</u> |
| Gene Name | ACADS |
| Gene Alias | ACAD3, SCAD |
| Gene Description | acyl-Coenzyme A dehydrogenase, C-2 to C-3 short chain |
| Omim ID | <u>201470</u> <u>606885</u> |
| Gene Ontology | <u>Hyperlink</u> |
| Gene Summary | This gene encodes a a tetrameric mitochondrial flavoprotein, which is a member of the acyl-CoA dehydrogenase family. This enzyme catalyzes the initial step of the mitochondrial fatty acid beta-o xidation pathway. Mutations in this gene have been associated with Short Chain Acyl-CoA Dehyd rogenase Deficiency. [provided by RefSeq |
| Other Designations | butyryl-CoA dehydrogenase short chain acyl-CoA dehydrogenase unsaturated acyl-CoA reductas e |

Pathway

- Butanoate metabolism
- Fatty acid metabolism
- Metabolic pathways
- Valine

Disease

- Alcoholism
- Cardiovascular Diseases
- Diabetes Mellitus



- Edema
- Genetic Predisposition to Disease
- Interview
- Lipid Metabolism