

DNAxPAb

Hard-to-Find
Antibody

ACVR1B DNAxPab

Catalog # H00000091-W01P

Size 200 ug

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human ACVR1B DNA using DNAx™ Immune technology.
Technology	DNAx™ Immune
Immunogen	Full-length human DNA
Sequence	MAESAGASSFFPLVVLLLAGSGGSGPRGVQALLCACTSC LQANYTCETDGACMVSIFNLDGMEH HVRTCIPKVELVPAGKPFYCLSSDLRNTHCCYTDYCNRIDLRVPSGHLKEPEHPSMWGPVELVG IAGPVFLLFLIIIVFLVINYHQRVYHNRQLDMEDPSCMCLSKDKTLQDLVYDLSTSGSGSGLPLF VQRTVARTVLQEIIIGKGRFGEVWRGRWRGGDVAVKIFSSREERSWFREAENYQTVMLRHENILGFI AADNKDNGTWTQLWLVS DYHEHGSLFDYLNRYTVTIEGMIKLALSAASGLAHLHMEIVGTQ GKPGI AHRDLKSKNILVKKNGMCAIADLGLAVRHDAVTD TIDIAPNQ RVGTKRYMAPEVLDETINMKHFDS FKCADIYALGLVYWEIARRCNSGGVHEEYQLPYYDLVP SDPSIEEMRKVVCDQKLRPNIPNWWQS YEALRVMGKMMREC WYANGAARLTALRIKKTLSQLSVQEDVKI
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (98); Rat (99)
Purification	Protein A
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- Immunofluorescence (Transfected cell)
- Flow Cytometry (Transfected cell)

Gene Info — ACVR1B

Entrez GeneID [91](#)

GeneBank Accession# [NM_004302.3](#)

Protein Accession# [NP_004293.1](#)

Gene Name ACVR1B

Gene Alias ACTRIB, ACVRLK4, ALK4, SKR2

Gene Description activin A receptor, type IB

Omim ID [601300](#)

Gene Ontology [Hyperlink](#)

Gene Summary

Activins are dimeric growth and differentiation factors which belong to the transforming growth factor-beta (TGF-beta) superfamily of structurally related signaling proteins. Activins signal through a heteromeric complex of receptor serine kinases which include at least two type I (I and IB) and two type II (II and IIB) receptors. These receptors are all transmembrane proteins, composed of a ligand-binding extracellular domain with a cysteine-rich region, a transmembrane domain, and a cytoplasmic domain with predicted serine/threonine specificity. Type I receptors are essential for signaling, and type II receptors are required for binding ligands and for expression of type I receptors. Type I and II receptors form a stable complex after ligand binding, resulting in phosphorylation of type I receptors by type II receptors. This gene encodes activin A type IB receptor, composed of 11 exons. Alternative splicing and alternative polyadenylation result in 3 fully described transcript variants. The mRNA expression of variants 1, 2, and 3 is confirmed, and a potential fourth variant contains an alternative exon 8 and lacks exons 9 through 11, but its mRNA expression has not been confirmed. [provided by RefSeq]

Other Designations activin A receptor, type II-like kinase 4|activin A type IB receptor|activin receptor-like kinase 4|serine(threonine) protein kinase receptor R2

Pathway

- [Adherens junction](#)

- [Chronic myeloid leukemia](#)
- [Colorectal cancer](#)
- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [MAPK signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [TGF-beta signaling pathway](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Obesity](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Schizophrenia](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)