

AGER rabbit monoclonal antibody

Catalog # H00000177-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human AGER peptide using ARM Technology.
Immunogen	A synthetic peptide of human AGER is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human AGER peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — AGER

Entrez GeneID	177
GeneBank Accession#	AGER
Gene Name	AGER
Gene Alias	MGC22357, RAGE
Gene Description	advanced glycosylation end product-specific receptor
Omim ID	600214
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the immunoglobulin superfamily of cell surface molecules. It is a receptor for various molecules, including the amyloidogenic form of serum amyloid A, amyloid-beta protein, members of the S100/calgranulin superfamily and advanced glycation end products. The gene lies within the major histocompatibility complex (MHC) class III region on chromosome 6. Alternative splicing results in two transcript variants encoding different isoforms. [provided by RefSeq]
Other Designations	OTTHUMP00000029155 OTTHUMP00000029156 advanced glycosylation end product-specific receptor RAGE3 advanced glycosylation end product-specific receptor variant sRAGE1 advanced glycosylation end product-specific receptor variant sRAGE2 receptor for advanced

Disease

- [Alzheimer disease](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cerebral Amyloid Angiopathy](#)
- [Cognition](#)
- [Colitis](#)

- [Coronary Artery Disease](#)
- [Diabetes](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Insulin Resistance](#)
- [Kidney Failure](#)
- [Lung Diseases](#)
- [Lupus Erythematosus](#)
- [Myocardial Infarction](#)
- [Neuroblastoma](#)
- [Neuropsychological Tests](#)
- [Obesity](#)
- [Pancreatic Neoplasms](#)
- [Pulmonary Disease](#)