


BST2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00000684-T05


Size 100 uL

Applications



SDS-PAGE Gel

BST2 transfected lysate



Western Blot

Lane 1: BST2 transfected lysate (15.62 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Transfected Cell Line	293T
Plasmid	pCMV-BST2(-SP) full-length
Host	Human
Theoretical MW (kDa)	15.62

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-BST2(-SP) antibody ([H00000684-B03](#)) by Western Blots.
SDS-PAGE Gel
BST2 transfected lysate
Western Blot
Lane 1: BST2 transfected lysate (15.62 KDa).
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — BST2

Entrez GeneID[684](#)**GeneBank Accession#**[BC033873](#)**Protein Accession#**[AAH33873](#)**Gene Name**

BST2

Gene Alias

CD317

Gene Description

bone marrow stromal cell antigen 2

Omim ID[600534](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

Bone marrow stromal cells are involved in the growth and development of B-cells. The specific function of the protein encoded by the bone marrow stromal cell antigen 2 is undetermined; however, this protein may play a role in pre-B-cell growth and in rheumatoid arthritis. [provided by RefSeq]

Other Designations

tetherin

Disease

- [Genetic Predisposition to Disease](#)

- [Ovarian Neoplasms](#)