

CD8A 293T Cell Transient Overexpression Lysate(Denatured)


Catalog # H00000925-T01 Size 100 uL

Applications



SDS-PAGE Gel

CD8A transfected lysate



Western Blot

Lane 1: CD8A transfected lysate (25.7 KDa).

Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-CD8A full-length
Host	Human
Theoretical MW (kDa)	25.7
Quality Control Testing	Transient overexpression cell lysate was tested with Anti-CD8A antibody (H00000925-B01) by West em Blots. SDS-PAGE Gel CD8A transfected lysate Western Blot Lane 1: CD8A transfected lysate (25.7 KDa). Lane 2: Non-transfected lysate.



Product Information

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot

Gene Info — CD8A	
Entrez GenelD	925
GeneBank Accession#	BC025715
Protein Accession#	AAH25715
Gene Name	CD8A
Gene Alias	CD8, Leu2, MAL, p32
Gene Description	CD8a molecule
Omim ID	<u>186910</u> <u>608957</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The CD8 antigen is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediat es efficient cell-cell interactions within the immune system. The CD8 antigen acts as a corepresso r with the T-cell receptor on the T lymphocyte to recognize antigens displayed by an antigen prese nting cell (APC) in the context of class I MHC molecules. The coreceptor functions as either a hom odimer composed of two alpha chains, or as a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains. This gene encodes the CD8 alpha chain isoforms. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations	CD8 antigen alpha polypeptide CD8 antigen, alpha polypeptide (p32) Leu2 T-lymphocyte antigen OKT8 T-cell antigen T cell co-receptor T-cell antigen Leu2 T-cell surface glycoprotein CD8 alpha c hain T-lymphocyte differentiation antigen T8/Leu-2 T8 T-cell ant

Pathway

Antigen processing and presentation



- Cell adhesion molecules (CAMs)
- Hematopoietic cell lineage
- Primary immunodeficiency
- T cell receptor signaling pathway