


CD40LG (Human) Matched Antibody Pair

Catalog # H00000959-AP14

Size 1 Set

Applications



Sandwich ELISA detection sensitivity ranging from 0.1 ng/ml to 100 ng/ml.

Specification

Product Description	This antibody pair set comes with a matched antibody pair to detect and quantify the protein level of human CD40LG.
Reactivity	Human
Interspecies Antigen Sequence	Mouse (74%); Rat (76%)
Quality Control Testing	Standard curve using recombinant protein (H00000959-P01) as an analyte. Sandwich ELISA detection sensitivity ranging from 0.1 ng/ml to 100 ng/ml.
Supplied Product	Antibody pair set content: 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-CD40LG (100 ug) 2. Detection antibody: mouse monoclonal anti-CD40LG (20 ug) *Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- ELISA Pair (Recombinant protein)

[Protocol Download](#)

Gene Info — CD40LG

Entrez GeneID [959](#)

Gene Name CD40LG

Gene Alias CD154, CD40L, HIGM1, IGM, IMD3, T-BAM, TNFSF5, TRAP, gp39, hCD40L

Gene Description CD40 ligand

Omim ID [300386](#) [308230](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene is expressed on the surface of T cells. It regulates B cell function by engaging CD40 on the B cell surface. A defect in this gene results in an inability to undergo immunoglobulin class switch and is associated with hyper-IgM syndrome. [provided by RefSeq]

Other Designations CD40 antigen ligand|OTTHUMP00000024130|T-B cell-activating molecule|TNF-related activation protein|tumor necrosis factor (ligand) superfamily member 5

Pathway

- [Allograft rejection](#)
- [Asthma](#)
- [Autoimmune thyroid disease](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Cytokine-cytokine receptor interaction](#)
- [Primary immunodeficiency](#)
- [Systemic lupus erythematosus](#)
- [T cell receptor signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Coronary Stenosis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Disease Progression](#)
- [Drug Eruptions](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Immunologic Deficiency Syndromes](#)
- [Infant](#)
- [Lupus Erythematosus](#)
- [Malaria](#)
- [Metabolic Syndrome X](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Neoplasms](#)

- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Pemphigus](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Renal Insufficiency](#)
- [Respiratory Syncytial Virus Infections](#)
- [Severe Combined Immunodeficiency](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Tuberculosis](#)
- [Werner syndrome](#)