




Hard-to-Find Antibody

CD63 DNAxPab

Catalog # H00000967-W03P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of CD63 expression in transfected 293T cell line by CD63 DNAxPab polyclonal antibody.

Lane 1: CD63 transfected lysate(39.93 KDa).

Lane 2: Non-transfected lysate.

Specification	
Product Description	Rabbit polyclonal antibody raised against a partial-length human CD63 DNA using DNAx™ Immune t echnology.
Technology	DNAx™ Immune
Immunogen	CD63 (NP_001771.1, 33 a.a. ~ 203 a.a) partial-length human DNA
Sequence	VGAQLVLSQTIIQGATPGSLLPVVIIAVGVFLFLVAFVGCCGACKENYCLMITFAIFLSLIMLVEVAAAI AGYVFRDKVMSEFNNNFRQQMENYPKNNHTASILDRMQADFKCCGAANYTDWEKIPSMSKNRV PDSCCINVTVGCGINFNEKAIHKEGCVEKIGGWLRKNV
Host	Rabbit
Reactivity	Human
Purification	Protein A
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Applications

Western Blot (Transfected lysate)

Western Blot analysis of CD63 expression in transfected 293T cell line by CD63 DNAxPab polyclonal antibody.

Lane 1: CD63 transfected lysate(39.93 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

- Immunofluorescence (Transfected cell)
- Flow Cytometry (Transfected cell)

Gene Info — CD63	
Entrez GeneID	<u>967</u>
GeneBank Accession#	NM_001780.4
Protein Accession#	NP_001771.1
Gene Name	CD63
Gene Alias	LAMP-3, ME491, MLA1, OMA81H, TSPAN30
Gene Description	CD63 molecule
Omim ID	<u>155740</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known a s the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with integrins. It may function as a blood platelet activation marker. Deficiency of this protein is associated with Hermansky-Pudlak syndrome. Also this gene has been associated with tumor progression. The use of alternate polyadenylation sites has been found for this gene. Alternative splicing results in multiple transcript variants encoding different proteins. [provided by RefSeq
Other Designations	CD63 antigen CD63 antigen (melanoma 1 antigen) granulophysin lysosome-associated membra ne glycoprotein 3 melanoma 1 antigen melanoma-associated antigen ME491 melanoma-associated antigen MLA1 ocular melanoma-associated antigen tetraspanin-30



Pathway

• <u>Lysosome</u>