


CDH1 (Human) Matched Antibody Pair

Catalog # H00000999-AP61

Size 1 Set

Applications



Sandwich ELISA detection sensitivity ranging from approximately 243x to 3x dilution of the CDH1 293T overexpression lysate (non-denatured).

Specification

Product Description

This antibody pair set comes with a matched antibody pair to detect and quantify the protein level of human CDH1.

Reactivity

Human

Quality Control Testing

Standard curve using CDH1 293T overexpression lysate (non-denatured) as an analyte. Sandwich ELISA detection sensitivity ranging from approximately 243x to 3x dilution of the CDH1 293T overexpression lysate (non-denatured).

Supplied Product

Antibody pair set content:
 1. Capture antibody: mouse monoclonal anti-CDH1, IgG1 Kappa (100 ug)
 2. Detection antibody: rabbit MaxPab® affinity purified polyclonal anti-CDH1 (50 ug)
 *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.

Storage Instruction

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- ELISA Pair (Transfected lysate)

[Protocol Download](#)

Gene Info — CDH1

Entrez GeneID	999
Gene Name	CDH1
Gene Alias	Arc-1, CD324, CDHE, ECAD, LCAM, UVO
Gene Description	cadherin 1, type 1, E-cadherin (epithelial)
Omim ID	137215 192090
Gene Ontology	Hyperlink
Gene Summary	This gene is a classical cadherin from the cadherin superfamily. The encoded protein is a calcium dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a trans membrane region and a highly conserved cytoplasmic tail. Mutations in this gene are correlated with gastric, breast, colorectal, thyroid and ovarian cancer. Loss of function is thought to contribute to progression in cancer by increasing proliferation, invasion, and/or metastasis. The ectodomain of this protein mediates bacterial adhesion to mammalian cells and the cytoplasmic domain is required for internalization. Identified transcript variants arise from mutation at consensus splice sites. [provided by RefSeq]
Other Designations	cadherin 1, E-cadherin (epithelial) cadherin 1, type 1 calcium-dependent adhesion protein, epithelial cell-CAM 120/80 uvomorulin

Pathway

- [Adherens junction](#)
- [Bladder cancer](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Endometrial cancer](#)
- [Melanoma](#)
- [Pathogenic Escherichia coli infection - EHEC](#)
- [Pathways in cancer](#)
- [Thyroid cancer](#)

Disease

- [Adenocarcinoma](#)
- [Asthma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Colitis](#)
- [Colorectal Neoplasms](#)
- [Crohn Disease](#)
- [Disease Progression](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)
- [Head and Neck Neoplasms](#)
- [Helicobacter Infections](#)
- [Hepatitis B](#)
- [Infant](#)
- [Kidney Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Leiomyoma](#)
- [Liver Neoplasms](#)
- [Low Tension Glaucoma](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)

- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mouth Neoplasms](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neoplastic Syndromes](#)
- [Obesity](#)
- [Ocular Hypertension](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pharyngeal Neoplasms](#)
- [Prostate cancer](#)
- [Prostatic Hyperplasia](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Stomach Neoplasms](#)
- [Tooth Abnormalities](#)
- [Ureteral Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Urinary Calculi](#)

- [Urologic Neoplasms](#)
- [Uterine Neoplasms](#)
- [Werner syndrome](#)