


# CDX1 monoclonal antibody (M02), clone 1F12


Catalog # H00001044-M02 Size 100 ug

# **Applications**




### Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CDX1 is 1 ng/ml as a capture antibody.



#### Immunofluorescence

Immunofluorescence of monoclonal antibody to CDX1 on HeLa cell . [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (35.64 KDa).

## Specification

**Product Description** 

Mouse monoclonal antibody raised against a partial recombinant CDX1.



#### **Product Information**

Immunogen	CDX1 (NP_001795, 126 a.a. $\sim$ 215 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	GAQRPTPYEWMRRSVAAGGGGGSGKTRTKDKYRVVYTDHQRLELEKEFHYSRYITIRRKSELAAN LGLTERQVKWFQNRRAKERKVNKK
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (97)
Isotype	lgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.  Western Blot detection against Immunogen (35.64 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# **Applications**

Western Blot (Recombinant protein)

**Protocol Download** 

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CDX1 is 1 ng/ml as a capture antibody.

<u>Protocol Download</u>

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to CDX1 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — CDX1	
Entrez GenelD	<u>1044</u>
GeneBank Accession#	NM_001804



# **Product Information**

Protein Accession#	<u>NP_001795</u>
Gene Name	CDX1
Gene Alias	MGC116915
Gene Description	caudal type homeobox 1
Omim ID	600746
Gene Ontology	<u>Hyperlink</u>
Gene Ontology  Gene Summary	This gene is a member of the caudal-related homeobox transcription factor gene family. The enco ded DNA-binding protein regulates intestine-specific gene expression and enterocyte differentiati on. It has been shown to induce expression of the intestinal alkaline phosphatase gene, and inhibit beta-catenin/T-cell factor transcriptional activity. [provided by RefSeq