

NKX2-5 rabbit monoclonal antibody

Catalog # H00001482-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human NKX2-5 peptide using ARM Technology.
Immunogen	A synthetic peptide of human NKX2-5 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human NKX2-5 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — NKX2-5

Entrez GeneID	1482
GeneBank Accession#	NKX2-5
Gene Name	NKX2-5
Gene Alias	CHNG5, CSX, CSX1, NKX2.5, NKX2E, NKX4-1
Gene Description	NK2 transcription factor related, locus 5 (Drosophila)
Omim ID	108900 187500 600584
Gene Ontology	Hyperlink
Gene Summary	Homeobox-containing genes play critical roles in regulating tissue-specific gene expression essential for tissue differentiation, as well as determining the temporal and spatial patterns of development (Shiojima et al., 1995 [PubMed 7665173]). It has been demonstrated that a Drosophila homeobox-containing gene called 'tinman' is expressed in the developing dorsal vessel and in the equivalent of the vertebrate heart. Mutations in tinman result in loss of heart formation in the embryo, suggesting that tinman is essential for Drosophila heart formation. Furthermore, abundant expression of Csx, the presumptive mouse homolog of tinman, is observed only in the heart from the time of cardiac differentiation. CSX, the human homolog of murine Csx, has a homeodomain sequence identical to that of Csx and is expressed only in the heart, again suggesting that CSX plays an important role in human heart formation.[supplied by OMIM]
Other Designations	NK2 transcription factor homolog E NK2 transcription factor related, locus 5 cardiac-specific homeobox tinman paralog

Disease

- [Alagille Syndrome](#)
- [Arthritis](#)
- [Atrial Fibrillation](#)
- [Cardiovascular Diseases](#)
- [Chromosome Deletion](#)
- [Congenital Hypothyroidism](#)
- [Diabetes Mellitus](#)

- [Down Syndrome](#)
- [Ductus Arteriosus](#)
- [Ebstein Anomaly](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Hand Deformities](#)
- [Heart Block](#)
- [Heart Defects](#)
- [Heart Septal Defects](#)
- [Hypoplastic Left Heart Syndrome](#)
- [Lupus Erythematosus](#)
- [Tetralogy of Fallot](#)