


# DLX2 monoclonal antibody (M09), clone 1E9


Catalog # H00001746-M09 Size 100 ug

## **Applications**



### Western Blot (Cell lysate)

DLX2 monoclonal antibody (M09), clone 1E9. Western Blot analysis of DLX2 expression in PC-12.



Western Blot detection against Immunogen (39.38 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant DLX2.
Immunogen	DLX2 (NP_004396, 1 a.a. ~ 124 a.a) partial recombinant protein with GST tag. MW of the GST tag a lone is 26 KDa.
Sequence	MTGVFDSLVADMHSTQIAASSTYHQHQQPPSGGGAGPGGNSSSSSSLHKPQESPTLPVSTATD SSYYTNQQHPAGGGGGGSPYAHMGSYQYQASGLNNVPYSAKSSYDLGYTAAYTSYAPYGT
Host	Mouse
Reactivity	Human, Rat



### **Product Information**

Interspecies Antigen Sequence	Rat (91)
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.  Western Blot detection against Immunogen (39.38 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## **Applications**

Western Blot (Cell lysate)

DLX2 monoclonal antibody (M09), clone 1E9. Western Blot analysis of DLX2 expression in PC-12.

Protocol Download

Western Blot (Recombinant protein)

**Protocol Download** 

ELISA

Gene Info — DLX2	
Entrez GeneID	<u>1746</u>
GeneBank Accession#	NM_004405
Protein Accession#	NP_004396
Gene Name	DLX2
Gene Alias	TES-1, TES1
Gene Description	distal-less homeobox 2
Omim ID	<u>126255</u>
Gene Ontology	<u>Hyperlink</u>



### **Product Information**

#### **Gene Summary**

Many vertebrate homeo box-containing genes have been identified on the basis of their sequence similarity with Drosophila developmental genes. Members of the Dlx gene family contain a homeo box that is related to that of Distal-less (Dll), a gene expressed in the head and limbs of the develo ping fruit fly. The Distal-less (Dlx) family of genes comprises at least 6 different members, DLX1-DLX6. The DLX proteins are postulated to play a role in forebrain and craniofacial development. This gene is located in a tail-to-tail configuration with another member of the gene family on the long arm of chromosome 2. [provided by RefSeq

**Other Designations** 

distal-less homeo box 2

#### Disease

- Autistic Disorder
- Cleft Lip
- Cleft Palate
- Genetic Predisposition to Disease
- Mental Disorders
- Schizophrenia