

DUSP5 rabbit monoclonal antibody

Catalog # H00001847-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human DUSP5 peptide using ARM Technology.
Immunogen	A synthetic peptide of human DUSP5 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human DUSP5 peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — DUSP5	
Entrez GenelD	1847
GeneBank Accession#	DUSP5
Gene Name	DUSP5
Gene Alias	DUSP, HVH3
Gene Description	dual specificity phosphatase 5
Omim ID	603069
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the dual specificity protein phosphatase subfam ily. These phosphatases inactivate their target kinases by dephosphorylating both the phosphoser ine/threonine and phosphotyrosine residues. They negatively regulate members of the mitogen-ac tivated protein (MAP) kinase superfamily (MAPK/ERK, SAPK/JNK, p38), which are associated w ith cellular proliferation and differentiation. Different members of the family of dual specificity phos phatases show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular localization, and different modes of inducibility of their expression by extracellular stimuli. This gene product inactivates ERK1, is expressed in a variety of tissues with the highest levels in pancreas and brain, and is localized in the nucleus. [provided by RefSeq
Other Designations	OTTHUMP00000020476 VH1-like phosphatase 3 serine/threonine specific protein phosphatase

Pathway

MAPK signaling pathway

Disease

- Alzheimer Disease
- Cardiovascular Diseases
- Diabetes Mellitus
- Edema



- Genetic Predisposition to Disease
- Ovarian Neoplasms