

ENO1 rabbit monoclonal antibody

Catalog # H00002023-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human ENO1 peptide using ARM Technology.
Immunogen	A synthetic peptide of human ENO1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human ENO1 peptide by ELISA and mammalian transfected lysate by We stern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — ENO1	
Entrez GenelD	2023
GeneBank Accession#	ENO1
Gene Name	ENO1
Gene Alias	ENO1L1, MBP-1, MPB1, NNE, PPH
Gene Description	enolase 1, (alpha)
Omim ID	172430
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes one of three enclase isoenzymes found in mammals; it encodes alpha-enclas e, a homodimeric soluble enzyme, and also encodes a shorter monomeric structural lens protein, tau-crystallin. The two proteins are made from the same message. The full length protein, the isoe nzyme, is found in the cytoplasm. The shorter protein is produced from an alternative translation st art, is localized to the nucleus, and has been found to bind to an element in the c-myc promoter. A pseudogene has been identified that is located on the other arm of the same chromosome. [provi ded by RefSeq
Other Designations	2-phospho-D-glycerate hydro-lyase MYC promoter-binding protein 1 OTTHUMP0000001706 alp ha enolase like 1 enolase 1 non-neural enolase phosphopyruvate hydratase tau-crystallin

Pathway

- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- Glycolysis / Gluconeogenesis



- Metabolic pathways
- RNA degradation

Disease

Myocardial Infarction