


ENO1 monoclonal antibody (M03), clone 3C8

Catalog # H00002023-M03


Size 100 ug

Applications




Western Blot (Tissue lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in human colon.




Western Blot (Cell lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in Raw 264.7.



Western Blot (Cell lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in MCF-7.



Western Blot (Cell lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in NIH/3T3(Cat # L018V1).



Western Blot detection against Immunogen (73.48 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a full length recombinant ENO1.
Immunogen	ENO1 (AAH22545, 1 a.a. ~ 434 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MSILKIHAREIFDSRGNPTVEVDLFTSKGLFRAAVPSGASTGIEALELRDNDKTRYMGKGVSKAV EHINKTIAPALVSKKLNVTQEKEIDKLMIEDGTENKSFKFGANAILGVSLAVCKAGAVEKGVPYRHI ADLAGNSEVILPVPAFNVGSHAGNKLAMQEFMILPVGAAANFREAMRIGAEVYHNLKNVIKEKY GKDATNVGDEGGFAPNILENKEGLELLKTAIGKAGYTDKVVIGMDVAASEFFRSGKYDLDKFSPD DPSRYISPDQLADLYKSFIKDYPVVSIEDPDFQDDWGAWQKFTASAGIQVGDDLTVTNPKRIAKA VNEKSCNCNLLKVNQIGSVTESLQACKLAQANGWGVMVSHRSGETEDTFIADLVVGLCTGQIKTG APCRSERLAKYNQLLRIEEELGSKAKFAGRNFRNPLAK
Host	Mouse
Reactivity	Human, Mouse
Isotype	IgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (73.48 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in human colon.

[Protocol Download](#)

- Western Blot (Cell lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in Raw 264.7.

[Protocol Download](#)

- Western Blot (Cell lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in MCF-7.

[Protocol Download](#)

- Western Blot (Cell lysate)

ENO1 monoclonal antibody (M03), clone 3C8. Western Blot analysis of ENO1 expression in NIH/3T3(Cat # L018V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

Gene Info — ENO1

Entrez GenelD	2023
GeneBank Accession#	BC022545
Protein Accession#	AAH22545
Gene Name	ENO1
Gene Alias	ENO1L1, MBP-1, MPB1, NNE, PPH
Gene Description	enolase 1, (alpha)
Omim ID	172430

Gene Ontology[Hyperlink](#)**Gene Summary**

This gene encodes one of three enolase isoenzymes found in mammals; it encodes alpha-enolase, a homodimeric soluble enzyme, and also encodes a shorter monomeric structural lens protein, tau-crystallin. The two proteins are made from the same message. The full length protein, the isoenzyme, is found in the cytoplasm. The shorter protein is produced from an alternative translation start, is localized to the nucleus, and has been found to bind to an element in the c-myc promoter. A pseudogene has been identified that is located on the other arm of the same chromosome. [provided by RefSeq]

Other Designations

2-phospho-D-glycerate hydro-lyase|MYC promoter-binding protein 1|OTTHUMP00000001706|alpha enolase like 1|enolase 1|non-neuronal enolase|phosphopyruvate hydratase|tau-crystallin

Pathway

- [Biosynthesis of alkaloids derived from histidine and purine](#)
- [Biosynthesis of alkaloids derived from ornithine](#)
- [Biosynthesis of alkaloids derived from shikimate pathway](#)
- [Biosynthesis of alkaloids derived from terpenoid and polyketide](#)
- [Biosynthesis of phenylpropanoids](#)
- [Biosynthesis of plant hormones](#)
- [Biosynthesis of terpenoids and steroids](#)
- [Glycolysis / Gluconeogenesis](#)
- [Metabolic pathways](#)
- [RNA degradation](#)

Disease

- [Myocardial Infarction](#)